LOWRANCE®



PRICE LIST

MARINE ELECTRONICS

HDS-16 PRO

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16006-001		Lowrance HDS-16 PRO, No Transducer. 16" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	18483.15	22734.27
000-15991-001		Lowrance HDS-16 PRO with ActiveImaging™ HD 3-in-1 transducer. 16" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	19353.15	23804.37

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001		S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7456.60	9171.62
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-12742-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	317.40	390.40

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	529.00	650.67
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7585.40	9330.04
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2295.40	2823.34
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2525.40	3106.24
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60
000-11010-001		HDS Video Adapter Cable	455.40	560.14

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16088-001		HDS-16 PRO Bezel and SD Door	220.75	271.53
000-14585-001		HDS-16 LIVE/PRO Suncover	179.40	220.66

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14589-001		HDS-16 LIVE/PRO Bracket and Knobs	409.40	503.56
000-0127-49		Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	170.15	209.29
000-0124-70		CAP-1 - Set of connector caps for HDS series	101.15	124.42

HDS-12 PRO

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16003-001		Lowrance HDS-12 PRO, No Transducer. 12" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	11740.65	14441.00
000-15988-001		Lowrance HDS-12 PRO with ActiveImaging™ HD 3-in-1 transducer. 12" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	12610.65	15511.10

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001		S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7456.60	9171.62
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12742-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	317.40	390.40
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	529.00	650.67
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7585.40	9330.04
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2295.40	2823.34
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2525.40	3106.24
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60
000-11010-001		HDS Video Adapter Cable	455.40	560.14

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16087-001		HDS-12 PRO Bezel and SD Door	271.40	333.82
000-14584-001		HDS-12 LIVE/PRO Suncover	147.15	181.00
000-14588-001		Lowrance HDS-12 LIVE/PRO & Elite FS-12 Bracket and Knobs	363.40	446.98
000-0127-49		Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	170.15	209.29
000-0124-70		CAP-1 - Set of connector caps for HDS series	101.15	124.42

HDS-10 PRO

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16000-001		Lowrance HDS-10 PRO, No Transducer. 10" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	8695.65	10695.65
000-15985-001		Lowrance HDS-10 PRO with ActiveImaging™ HD 3-in-1 transducer. 10" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	9565.65	11765.75

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001		S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7456.60	9171.62
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7585.40	9330.04
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2295.40	2823.34
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2525.40	3106.24
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60
000-11010-001		HDS Video Adapter Cable	455.40	560.14

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16057-001		HDS-10 PRO Bezel and SD Door	220.75	271.53
000-16056-001		HDS-10 PRO / Elite FS-10 Bracket	299.00	367.77
000-16059-001		HDS-10 PRO Suncover	147.20	181.06

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-49		Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	170.15	209.29
000-0124-70		CAP-1 - Set of connector caps for HDS series	101.15	124.42

HDS-9 PRO

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15997-001		Lowrance HDS-9 PRO, No Transducer. 9" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	7390.65	9090.50
000-15982-001		Lowrance HDS-9 PRO with ActiveImaging™ HD 3-in-1 transducer. 9" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	8260.65	10160.60

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001		S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7456.60	9171.62
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7585.40	9330.04
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2295.40	2823.34
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2525.40	3106.24
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60
000-11010-001		HDS Video Adapter Cable	455.40	560.14

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16086-001		HDS-9 PRO Bezel and SD Door	220.75	271.53
000-14583-001		HDS-9 LIVE/PRO Suncover	161.00	198.03
000-14587-001		HDS-9 LIVE/PRO / Elite FS9 Bracket and Knobs	271.40	333.82

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-49		Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	170.15	209.29
000-0124-70		CAP-1 - Set of connector caps for HDS series	101.15	124.42

Elite-12 FS

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16440-001		Elite™ FS 12 with Active Imaging 3-in-1 Transducer (ROW): The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water.*Active Imaging HD requires S3100 Module	10000.65	12300.80
000-16439-001		Elite™ FS 12 No Transducer (ROW): The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water.*Active Imaging HD requires S3100 Module	9348.15	11498.22

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-15918-001		S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-10029-001		NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1421.40	1748.32
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7585.40	9330.04
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-16446-001		Elite™ FS 12 Flushmount kit	94.71	116.50

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	1665.15	2048.14
000-12568-001		TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	1665.20	2048.20
000-16444-001		Protective suncover for Elite FS 12	147.20	181.06
000-15777-001		Corner Clip ELITE-7, 9, 10, and 12 FS	78.11	96.07
000-14588-001		Lowrance HDS-12 LIVE/PRO & Elite FS-12 Bracket and Knobs	363.40	446.98
000-14041-001		2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	151.75	186.66

Elite-10 FS

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16438-001		Elite™ FS 10 with Active Imaging 3-in-1 Transducer (ROW): The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water.*Active Imaging HD requires S3100 Module	7390.65	9090.50
000-16437-001		Elite™ FS 10 No Transducer (ROW):The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water.*Active Imaging HD requires S3100 Module	6738.15	8287.92

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-15918-001		S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-10029-001		NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1421.40	1748.32
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7585.40	9330.04
000-16445-001		Elite™ FS 10 Flushmount kit	94.71	116.50

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	1665.15	2048.14
000-16056-001		HDS-10 PRO / Elite FS-10 Bracket	299.00	367.77
000-12568-001		TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	1665.20	2048.20
000-16443-001		Protective suncover for Elite FS 10	147.20	181.06
000-15777-001		Corner Clip ELITE-7, 9, 10, and 12 FS	78.11	96.07
000-14041-001		2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	151.75	186.66

Elite-9 FS

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15706-001		ELITE FS 9 with No Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	4365.40	5369.44
000-15693-001		ELITE FS 9 with Active Imaging 3-in-1 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	5055.40	6218.14

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-16145-001		Power Harness Cable for Explorer Series Pack with Elite FS 9	206.95	254.55
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-10029-001		NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1421.40	1748.32
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7585.40	9330.04
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-15786-001		FLUSH MOUNT KIT: ELITE FS 9	115.00	141.45
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15777-001		Corner Clip ELITE-7, 9, 10, and 12 FS	78.11	96.07
000-14587-001		HDS-9 LIVE/PRO / Elite FS9 Bracket and Knobs	271.40	333.82
000-14041-001		2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	151.75	186.66

Elite-7 FS

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15702-001		ELITE FS 7 with No Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	3905.40	4803.64
000-15697-001		ELITE FS 7 with xSonic HDI M/H 455/800 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	4135.40	5086.54
000-15689-001		ELITE FS 7 with Active Imaging 3-in-1 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	4595.40	5652.34

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-10029-001		NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1421.40	1748.32
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7585.40	9330.04
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-15785-001		FLUSH MOUNT KIT: ELITE FS 7	115.00	141.45

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15778-001		SUNCOVER: ELITE-7 FS	133.40	164.08
000-15777-001		Corner Clip ELITE-7, 9, 10, and 12 FS	78.11	96.07
000-14586-001		HDS-7 LIVE Bracket and Knobs	179.40	220.66
000-14041-001		2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	151.75	186.66

Eagle-4x

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16110-001		Eagle-4x: 4" IPS Portrait Fish Finder: Bullet transducer	685.40	843.04

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16252-001		EAGLE 4" Dash gasket kit	105.80	130.13
000-16248-001		EAGLE 4" Sun cover	104.51	128.55

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16367-001		Eagle 4X Bullet Skimmer transducer / power cable	367.95	452.58
000-14170-001		Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	101.15	124.42

Eagle-5

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16236-001		Eagle-5 No Transducer ROW: 5" IPS screen, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts).	1329.40	1635.16
000-16310-001		Eagle-5 50/200 KHz ROW: 5" IPS screen, HDI 50/200 kHz transducer. Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)	1651.40	2031.22
000-16307-001		Eagle-5 83/200 KHz ROW: 5" IPS screen, HDI 83/200 kHz transducer. Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)	1559.40	1918.06
000-16112-001		Eagle-5 SplitShot™ HD ROW: 5" IPS screen, SplitShot™ HD transducer. Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	1513.40	1861.48

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16253-001		EAGLE 5" Dash gasket kit	62.70	77.12
000-16249-001		EAGLE 5" Sun cover	104.51	128.55

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15640-001		HDI Skimmer® transducer 83/200/455/800kHz for Hook2*, Hook Reveal, and Eagle 7,9. Built-in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8-pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2)	538.15	661.93
000-15639-001		HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	1108.55	1363.52
000-16284-001		EAGLE SplitShot™ 8 pin transducer. 6 m (20 ft cable)	459.95	565.74
000-16314-001		EAGLE 5, 7, 9 Power cable	105.75	130.08
000-16315-001		EAGLE replacement twist locks	73.60	90.53
000-14170-001		Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	101.15	124.42

Eagle-7

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16230-001		Eagle-7 No Transducer ROW: 7" IPS screen, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	1927.40	2370.70
000-16311-001		Eagle-7 50/200 ROW: 7" IPS screen, 50/200 kHz HDI transducer, Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)	2249.40	2766.76
000-16308-001		Eagle-7 83/200 ROW: 7" IPS screen, 83/200 kHz HDI transducer, Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)	2157.40	2653.60
000-16115-001		Eagle-7 SplitShot HD ROW: 7" IPS screen, SplitShot™ HD transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	2111.40	2597.02
000-16121-001		Eagle-7 TripleShot™ ROW: 7" IPS screen, TripleShot™ HD transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	2525.40	3106.24

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16254-001		EAGLE 7" Dash gasket kit	69.00	84.87
000-16250-001		EAGLE 7" Sun cover	104.51	128.55

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15640-001		HDI Skimmer® transducer 83/200/455/800kHz for Hook2*, Hook Reveal, and Eagle 7,9. Built-in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8-pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2)	538.15	661.93
000-15639-001		HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	1108.55	1363.52
000-16250-001		EAGLE 7" Sun cover	104.51	128.55
000-16284-001		EAGLE SplitShot™ 8 pin transducer. 6 m (20 ft cable)	459.95	565.74
000-16285-001		EAGLE TripleShot™ HD 8-pin transducer. 6 m (20 ft cable)	836.33	1028.68
000-16314-001		EAGLE 5, 7, 9 Power cable	105.75	130.08
000-16313-001		EAGLE 7, 9 corner clips	68.95	84.81
000-16315-001		EAGLE replacement twist locks	73.60	90.53

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11019-001		Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP/Eagle 7 *Not for use with Elite-7 Ti	207.64	255.40
000-14172-001		Power Cable for Hook2, Hook Reveal & Cruise	101.15	124.42

Eagle-9

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16231-001		Eagle-9 No Transducer ROW: 9" IPS screen, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	2755.40	3389.14
000-16124-001		Eagle-9 HDI ROW: 9" IPS screen, 50/200 kHz HDI CHIRP transducer, Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts).	2985.40	3672.04
000-16127-001		Eagle-9 TripleShot™ ROW: 9" IPS screen, TripleShot™ HD transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	3215.40	3954.94

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16255-001		EAGLE 9" Dash gasket kit	96.14	118.25
000-16251-001		EAGLE 9" Sun cover	112.88	138.85

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15639-001		HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	1108.55	1363.52
000-16285-001		EAGLE TripleShot™ HD 8-pin transducer. 6 m (20 ft cable)	836.33	1028.68
000-16314-001		EAGLE 5, 7, 9 Power cable	105.75	130.08
000-16313-001		EAGLE 7, 9 corner clips	68.95	84.81
000-16315-001		EAGLE replacement twist locks	73.60	90.53
000-14171-001		Gimbal Bracket for Hook2/Hook Reveal 9"	229.95	282.84

Eagle Eye-9

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16130-001		Eagle Eye™ 9 Live ROW: 9" IPS screen, Eagle Eye™ transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	4869.91	5989.99
000-16368-001		Lowrance Eagle Eye LIVE Transducer pack: Eagle Eye™ Transducer offers focused forward and down live sonar combined with CHIRP & DownScan in one transducer, exclusively available with Eagle Eye Fishfinders. The Eagle Eye live sonar transducer is also not compatible with other Lowrance Eagle series displays.	1835.40	2257.54
000-16369-001		Eagle Eye™ Transducer Trolling Motor Mount	133.40	164.08

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16368-001		Lowrance Eagle Eye LIVE Transducer pack: Eagle Eye™ Transducer offers focused forward and down live sonar combined with CHIRP & DownScan in one transducer, exclusively available with Eagle Eye Fishfinders. The Eagle Eye live sonar transducer is also not compatible with other Lowrance Eagle series displays.	1835.40	2257.54
000-16369-001		Eagle Eye™ Transducer Trolling Motor Mount	133.40	164.08
000-16255-001		EAGLE 9" Dash gasket kit	96.14	118.25
000-16251-001		EAGLE 9" Sun cover	112.88	138.85
000-16317-001		Transom mount bracket for Eagle TripleShot™ HD Transducer	105.80	130.13

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16368-001		Lowrance Eagle Eye LIVE Transducer pack: Eagle Eye™ Transducer offers focused forward and down live sonar combined with CHIRP & DownScan in one transducer, exclusively available with Eagle Eye Fishfinders. The Eagle Eye live sonar transducer is also not compatible with other Lowrance Eagle series displays.	1835.40	2257.54
000-16369-001		Eagle Eye™ Transducer Trolling Motor Mount	133.40	164.08
000-16314-001		EAGLE 5, 7, 9 Power cable	105.75	130.08
000-16313-001		EAGLE 7, 9 corner clips	68.95	84.81
000-16315-001		EAGLE replacement twist locks	73.60	90.53
000-14171-001		Gimbal Bracket for Hook2/Hook Reveal 9"	229.95	282.84

Acessories

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16252-001		EAGLE 4" Dash gasket kit	105.80	130.13
000-16248-001		EAGLE 4" Sun cover	104.51	128.55
000-16253-001		EAGLE 5" Dash gasket kit	62.70	77.12
000-16249-001		EAGLE 5" Sun cover	104.51	128.55
000-16254-001		EAGLE 7" Dash gasket kit	69.00	84.87
000-16250-001		EAGLE 7" Sun cover	104.51	128.55
000-16255-001		EAGLE 9" Dash gasket kit	96.14	118.25
000-16251-001		EAGLE 9" Sun cover	112.88	138.85
000-16367-001		Eagle 4X Bullet Skimmer transducer / power cable	367.95	452.58
000-16284-001		EAGLE SplitShot™ 8 pin transducer. 6 m (20 ft cable)	459.95	565.74
000-16285-001		EAGLE TripleShot™ HD 8-pin transducer. 6 m (20 ft cable)	836.33	1028.68
000-16317-001		Transom mount bracket for Eagle TripleShot™ HD Transducer	105.80	130.13
000-16314-001		EAGLE 5, 7, 9 Power cable	105.75	130.08
000-16313-001		EAGLE 7, 9 corner clips	68.95	84.81
000-16315-001		EAGLE replacement twist locks	73.60	90.53

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	252.95	311.13
000-14411-001	Missing Image	SPLITSHOT Inline temperature sensor: Hook2/Reveal	252.95	311.13

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16317-001	Transom mount bracket for Eagle TripleShot™ HD Transducer	105.80	130.13

Accessories

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	252.95	311.13
000-14413-001	Missing Image	Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable	252.95	311.13
000-14412-001	Missing Image	Hook2 Transducer Y-Cable Allows an Active Imaging 2 in 1 or LSS-2 and HST-WSBL to be connected to a Hook2 TripleShot Display.	284.23	349.61
000-14027-001		Bullet Skimmer Transducer for Hook2-4X, with built in power cable.	317.40	390.40
000-14028-001		SplitShot Skimmer Transducer	455.35	560.09
000-14029-001		TripleShot Skimmer Transducer. With 6 m (19.7 ft) cable.	837.15	1029.70
000-14192-001		Bullet/SplitShot Transom Bracket	64.35	79.16
000-14193-001		TripleShot Transom Bracket	82.80	101.84
000-14410-001	Missing Image	HOOK2-4X INLINE TEMP SENSOR	317.40	390.40
000-14070-001		HOOK2-4X to 7pin Blue Transducer Adapter & Power Cable	151.80	186.71
000-14173-001		HOOK2 4x Sun Cover	101.15	124.42
000-14170-001		Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	101.15	124.42
000-14068-001		7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	151.75	186.66
000-14069-001		xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in Details!	151.75	186.66
000-14172-001		Power Cable for Hook2, Hook Reveal & Cruise	101.15	124.42
000-14191-001		HOOK2 7"/9"/12", Hook Reveal 7"/9" corner clips	64.35	79.16
000-14411-001	Missing Image	SPLITSHOT Inline temperature sensor: Hook2/Reveal	252.95	311.13

Hook2

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14174-001		HOOK2 / HOOK Reveal 5" Sun Cover	101.15	124.42
000-14175-001		HOOK2 7" Sun Cover	101.15	124.42
000-14176-001		HOOK2 9" Sun Cover	110.35	135.74
000-14171-001		Gimbal Bracket for Hook2/Hook Reveal 9"	229.95	282.84
000-14177-001		HOOK2 12" Sun Cover	161.00	198.03

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	252.95	311.13

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14192-001		Bullet/SplitShot Transom Bracket	64.35	79.16
000-14193-001		TripleShot Transom Bracket	82.80	101.84

Ice / All season

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14183-001		HOOK2-4x All Season Pack (EU) The world's easiest fishfinder, HOOK2 4x Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x features wide-angle, Broadband sonar coverage. Just plug it in and fish, it's that easy.	1241.95	1527.60
000-14184-001		HOOK2-4x GPS All Season Pack (EU) The world's easiest fishfinder, HOOK2 4x GPS Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x GPS features wide-angle, Broadband sonar coverage, plus a simple and accurate GPS Plotter. Just plug it in and fish, it's that easy.	1379.95	1697.34
000-15544-001		HOOK REVEAL 5 ROW ICEMACHINE: Hook Reveal 5/ Ice Transducer / Ice Bag	2126.03	2615.01

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14088-001		HOOK2-4x Ice Transducer with power lead.	685.40	843.04
000-14089-001		Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 200kHz	547.40	673.30
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	252.95	311.13
000-14413-001	Missing Image	Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable	252.95	311.13
000-14028-001		SplitShot Skimmer Transducer	455.35	560.09
000-14192-001		Bullet/SplitShot Transom Bracket	64.35	79.16
000-14070-001		HOOK2-4X to 7pin Blue Transducer Adapter & Power Cable	151.80	186.71
000-14173-001		HOOK2 4x Sun Cover	101.15	124.42
000-14170-001		Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	101.15	124.42
000-14068-001		7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	151.75	186.66
000-14069-001		xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in Details!	151.75	186.66
000-14172-001		Power Cable for Hook2, Hook Reveal & Cruise	101.15	124.42

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14411-001	Missing Image	SPLITSHOT Inline temperature sensor: Hook2/Reveal	252.95	311.13
000-14174-001		HOOK2 / HOOK Reveal 5" Sun Cover	101.15	124.42
000-14175-001		HOOK2 7" Sun Cover	101.15	124.42

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14089-001		Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 200kHz	547.40	673.30
000-11019-001		Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP/Eagle 7 *Not for use with Elite-7 Ti	207.64	255.40
000-14027-001		Bullet Skimmer Transducer for Hook2-4X, with built in power cable.	317.40	390.40
000-14192-001		Bullet/SplitShot Transom Bracket	64.35	79.16
000-14170-001		Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	101.15	124.42
000-14172-001		Power Cable for Hook2, Hook Reveal & Cruise	101.15	124.42
000-14191-001		HOOK2 7"/9"/12", Hook Reveal 7"/9" corner clips	64.35	79.16

Premium Ice

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15954-001		Explorer Ice Bag & Transducer Pole Comes With: - Premium Explorer Bag and Shuttle Frame - Custom wiring harness and master power switch - Premium Ice Transducer Pole for ActiveTarget™ Down/Forward or Scout	2069.95	2546.04
000-15953-001		Explorer Ice Bag Comes With: - Premium Explorer Bag and Shuttle Frame - Custom wiring harness and master power switch	1379.95	1697.34
000-15955-001		Explorer Ice Pole Comes With: - Premium Ice Transducer Pole for ActiveTarget™ Down/Forward or Scout	781.95	961.80

Portable ACCY.

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16145-001		Power Harness Cable for Explorer Series Pack with Elite FS 9	206.95	254.55
000-16146-001		0.3m (1 ft) Extension pole for Explorer Series Ice Pole (not Included), ideal for thicker ice areas and more depth	137.95	169.68
000-14088-001		HOOK2-4x Ice Transducer with power lead.	685.40	843.04
000-14089-001		Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 200kHz	547.40	673.30
000-14889-001		Ice transducer with 9 Pin connector. 83/200 Medium/High frequencies.	547.40	673.30
000-15112-001	Missing Image	PORTABLE PK 7" & UNDER HOOK2/ELITE TI EMEA	1780.20	2189.65

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14899-001		PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system.	1890.55	2325.38
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	252.95	311.13

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14963-001	Missing Image	Replacement Ice Mount for LiveSight Transducer	1471.95	1810.50

RECON Freshwater

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16172-001		Lowrance RECON™™ Freshwater 48” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	14429.55	17748.35
000-16173-001		Lowrance RECON™ Freshwater 54” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	14626.02	17990.00
000-16174-001		Lowrance RECON™ Freshwater 60” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	15151.25	18636.03
000-16175-001		Lowrance RECON™ Freshwater 72” Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.	16233.70	19967.46

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16177-001		Lowrance advanced wireless trolling motor foot pedal.	1735.65	2134.85
000-16287-001		Compact GPS Remote.	608.96	749.02
000-16353-001		RECON™ Active Imaging 3-in-1 Nosecone. (Not compatible with GHOST trolling motors)	1561.65	1920.83

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16177-001		Lowrance advanced wireless trolling motor foot pedal.	1735.65	2134.85
000-16176-001		Lowrance FreeSteer™ Trolling motor joystick remote.	1605.15	1974.33
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	101.20	124.48
000-15327-001		Mini 9-pin to 9-pin Sonar adapter cable	217.46	267.47
000-16178-001		RECON™ 2-blade Weedless Prop. For fresh / salt water RECON™ trolling motors (Not compatible with GHOST)	326.25	401.29

RECON Saltwater

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16179-001		Lowrance RECON™ Saltwater 54” Trolling Motor. Includes FreeSteer™ Joystick Remote.	15874.54	19525.69
000-16180-001		Lowrance RECON™ Saltwater 60” Trolling Motor. Includes FreeSteer™ Joystick Remote.	16233.70	19967.46
000-16181-001		Lowrance RECON™ Saltwater 72” Trolling Motor. Includes FreeSteer™ Joystick Remote.	16594.55	20411.30

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16177-001		Lowrance advanced wireless trolling motor foot pedal.	1735.65	2134.85
000-16287-001		Compact GPS Remote.	608.96	749.02
000-16353-001		RECON™ Active Imaging 3-in-1 Nosecone. (Not compatible with GHOST trolling motors)	1561.65	1920.83
000-15723-001		The Prop Shaft Anode for the Lowrance Ghost® & RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water. NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty.	100.01	123.01

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16176-001		Lowrance FreeSteer™ Trolling motor joystick remote.	1605.15	1974.33
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	101.20	124.48
000-15723-001		The Prop Shaft Anode for the Lowrance Ghost® & RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water. NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty.	100.01	123.01
000-16178-001		RECON™ 2-blade Weedless Prop. For fresh / salt water RECON™ trolling motors (Not compatible with GHOST)	326.25	401.29

RECON Accessories

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16177-001		Lowrance advanced wireless trolling motor foot pedal.	1735.65	2134.85
000-16176-001		Lowrance FreeSteer™ Trolling motor joystick remote.	1605.15	1974.33
000-16420-001		QUICK RELEASE BRACKET,HD,COMP,WHITE	691.65	850.73
000-16409-001		Lowrance lanyard for FreeSteer joystick remote	72.86	89.62
000-16287-001		Compact GPS Remote.	608.96	749.02
000-16353-001		RECON™ Active Imaging 3-in-1 Nosecone. (Not compatible with GHOST trolling motors)	1561.65	1920.83
000-16421-001		RECON™ quick release bracket, HD Black	691.65	850.73
000-16422-001		QUICK RELEASE BRACKET,HD,ALUM,BLACK	1126.65	1385.78
000-16178-001		RECON™ 2-blade Weedless Prop. For fresh / salt water RECON™ trolling motors (Not compatible with GHOST)	326.25	401.29

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16409-001	Lowrance lanyard for FreeSteer joystick remote	72.86	89.62

GHOST™

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14900-001		ACTIVE IMAGING 3-IN-1 Trolling Motor Nosecone for GHOST™. Not compatible with RECON™	1953.15	2402.37
000-15301-002		MISC. HARDWARE,MOUNT KIT	86.96	106.96
000-15237-001		GHOST Propeller kit.	234.90	288.93
000-15274-001		GHOST nosecone. No Transducer	234.86	288.87
000-15582-001		GHOST Trolling motor compass extension cable, 6 m (20')	200.06	246.07
000-15327-001		Mini 9-pin to 9-pin Sonar adapter cable	217.46	267.47
000-15723-001		The Prop Shaft Anode for the Lowrance Ghost® & RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water. NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty.	100.01	123.01
000-15325-001		Replacement trolling motor compass (TMC-1)	630.71	775.77
000-15468-001		TMR-1: Remote controll for the Ghost trolling motor.	561.15	690.21

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15806-001		GHOST 47" -TM SERVICE KIT - NO MOUNT	12571.46	15462.89
000-15240-001		2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 47"/lower unit (pre-assembled)	6198.75	7624.46
000-15672-001		1x Column, inner shaft, 52"	239.15	294.16
000-15730-001		Indicator ring decal kit: 1x Indicator ring decal	10.40	12.79
000-15319-001		Center cover kit: 1x Center cover, pedal, 1x Screw, no. 6x3/8, Phillips, pan, SS	59.75	73.50
000-15253-001		Lowrance label 1x Head decal	69.56	85.55

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15301-002		MISC. HARDWARE,MOUNT KIT	86.96	106.96
000-15250-001		Indicator assembly 1x Indicator w/magnet, 1x Indicator ring	100.01	123.01
000-15673-001		1x Column, inner shaft, 60"	271.35	333.77
000-15318-001		Switch housing kit: 1x Switch housing, pedal, 2x Screw, no. 6x3/8, Phillips, pan, SS	36.75	45.21
000-15237-001		GHOST Propeller kit.	234.90	288.93
000-15674-001		2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 52”/lower unit (pre-assembled)	6307.50	7758.23
000-15235-001		360 Head HW kit: 2x Screw, SHCS M8 x 1.25 x 20	11.45	14.09
000-15675-001		2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 60”/lower unit (pre-assembled)	6520.65	8020.40
000-15252-001		Top housing assembly 1x Housing, upper assembly (including head decal and indicator decal ring), 14x Screw, torx, no. 6 x 3/4	260.96	320.98
000-15314-001		Momentary switch kit: 1x Momentary switch, pedal, 2x Screw, M3x18mm, hex, button, 304SS, 1xScrew, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 2x Nylock SS nut M3, 1x Momentary button, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m, 1x Momentary pin, pedal	128.75	158.37
000-15251-001		Housing hardware 14x Screw, torx, no. 6 x 3/4	43.46	53.45
000-15395-001		Lower unit front cap kit: 1x Front cap, 1x O-ring, 80x3 mm, 4x Screw, M3, 5x10 1x Screw, M5x8, 1x Seal washer, 5x9x1	300.11	369.13
000-15315-001		Bluetooth module kit: 4x Screw 7mm torx T8, 1x Screw, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 1x Bluetooth seal, pedal, 1x Bluetooth cover, pedal, 1x Bluetooth cable grommet, pedal, 1x PCB TST assembly Bluetooth	202.35	248.90
000-15238-001		Propeller hardware kit: 1x Thrust washer, 1x Propeller pin 1x M10 Propeller washer 1x M10 Nylock nut	41.35	50.87
000-15285-001		Upper dressing cap kit: 1x Upper dressing cap, 1x Lock pin upper extrusion, 1x Screw, M6x16, hex, flat, SS	65.21	80.20
000-15310-001		GHOST foot pedal Configurable button 1 kit. 1 x Front left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	87.35	107.45
000-15388-001		Lower unit rear cap kit: 1x Rear cap 2x Shaft seal, greased 1x O-ring, 85x3 mm 1x Bearing-shim washer	443.66	545.70
000-15239-001		1x Column, inner shaft, 47"	206.95	254.55
000-15292-001		Upper extrusion kit with bushing, GHOST 47": 1x Upper extrusion assembly, GHOST 47"	1087.46	1337.57
000-15254-001		Case seal 1x Seal, case	65.21	80.20
000-15255-001		GPS PCBA 1x PCB Test Assembely: 2x Screw, torx, no. 6 x 3/8, 1x GPS PCBA cable (not shown in the illustration)	213.15	262.17
000-15387-001		Lower unit rotor assembly: 1x Rotor assembly	1304.96	1605.10
000-15676-001		Upper extrusion kit, GHOST GHOST 52”/GHOST 60”: 1x Upper extrusion assembly, GHOST GHOST 52”/GHOST 60”	1426.76	1754.91
000-15312-001		GHOST foot pedal Configurable button 2 kit. 1 x Back left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	87.35	107.45

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15311-001		GHOST foot pedal anchor button kit (front right button): Kit contains 1 x front right "Anchor" button assembly, 1x Spring, compression, 7mm ID x 15mm x 1m	91.95	113.10
000-15281-001		Cable management clip kit: 2x Cable management clips, 2x M4 x 8 socket screw with patch, 2x M4 round base weld nut	52.16	64.15
000-15247-001		Lower unit hardware kit: 1x Seal washer, 5x9x1, 1x Screw, M5x8, 4x Screw, M3, 5x10, 1x Bearing-shim washer, 1x O-ring, 85x3 mm, 1x O-ring, 80x3 mm	10.83	13.32
000-15246-001		1x Lower housing assy with outer column, GHOST 47", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	1011.95	1244.70
000-15256-001		PCBA, main head kit: 1x PCB TST ASY head controller CC, 1x Thermal pad, 6x Screw, torx, no. 6 x 3/8, 1x Screw, M3 x 10, torx	765.56	941.63
000-15298-001		Pushrod pin kit: 1x Pushrod pin 2x Pushrod pin clip	95.66	117.66
000-15257-001		Thermal spreader kit, 1x Spreader, thermal, 1x Thermal pad, 3x Screw, M3 x 10, torx	52.16	64.15
000-15242-001		Bearing, sealed kit: 2x Bearing sealed, 2x Bearing wedge, 1x Seal, shaft, 1x Cable tie/heat shrink kit	299.00	367.77
000-15241-001		Nose cone O-ring kit: 1x O-ring, 41x2.62mm, 1x O-ring, 15x3.53mm, 2x O-ring, 84x4.10mm	30.41	37.40
000-15313-001		GHOST foot pedal Configurable button 3.1 x Back right button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	91.95	113.10
000-15320-001		Driving gear kit: 1x Driving gear, pedal, 2x Screw, no. 6x3/4, torx, pan, SS	41.35	50.87
000-15243-001		Bearing cup: 1x Bearing cup	59.75	73.50
000-15289-001		Pushrod kit, GHOST 47" 1x Clevis bracket 4x Screw, M5x8mm, hex, button, SS 1x Pushrod, finish machine with bushing, GHOST 47"	956.96	1177.06
000-15668-001		1x Lower housing assy with outer column, GHOST 52", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	904.76	1112.85
000-15258-001		Gear cover kit: 1x Cover, gear drive, 8x Screw, M3 x 18, hex, 1x Cable tie/heat shrink kit.	143.51	176.51
000-15259-001		12x Screw, M3 x 20, torx	43.46	53.45
000-15677-001		Pushrod kit, GHOST 52"/GHOST 60": 1x Clevis bracket, 4x Screw, M5x8mm, hex, button, SS, 1x Pushrod, finish machine with bushing, GHOST 52"/GHOST 60"	930.86	1144.95
000-15322-001		Pedal, upper: 1x Upper, pedal	156.35	192.32
000-15244-001		Lower bearing clamp kit: 2x Collar, lower, 2x Screw, M5x20 mm, hex	110.35	135.74
000-15669-001		1x Lower housing assy with outer column, GHOST 60", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	922.16	1134.25
000-15321-001		Pivot pin: 1x Pivot pin, pedal	41.35	50.87
000-15271-001		Upper clamp kit: 1x Collar, plain, upper, 1x Collar threaded, upper, 2x Screw, M4x25 mm, hex, socket, SS316	115.00	141.45
000-15260-001		1x Motor belt	34.76	42.75
000-15293-001		Secondary latch kit: 1x Secondary latch, 1x Spring, secondary latch torsion, 2x Washer, 1/2", nylon, 1x C-ring, 1/2", 15-7 PH SS, 1x Pull cable spacer	100.01	123.01

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15261-001		1x Indicator belt	30.41	37.40
000-15317-001		Potentiometer kit: 1x Potentiometer, pedal, 1x Lock washer, 3/8", internal tooth, SS, 1x Nut, 3/8-32, SS, 1x Screw, no. 6x3/8, Phillips, pan, SS (not shown in the illustration), 2x Cable tie, anchored (not shown in the illustration)	183.95	226.26
000-15272-001		Shaft seal: 1x Seal, shaft	27.55	33.89
000-15291-001		Upper head adapter pin kit: 1x Pin, upper head, 2x E-clip, 1/2", 15-7 PH SS	65.21	80.20
000-15277-001		Nose cone hardware kit: 1x O-ring, 15x3.53mm, 1x O-ring, 41x2.62mm, 1x Nose cone cap, 1x Bolt, transducer, 2x O-ring, 84x4.10mm	105.75	130.08
000-15294-001		Lower head adapter pin kit: 1x Pin bracket/bow arm, 1x Set screw, M6 x 8, SS	69.56	85.55
000-15316-001		Speed knob kit: 1x Speed knob, pedal: 1x Spring, Compression, speed knob, 1x E-clip 3/4”, 1x D-clip, 1/4” shaft	64.35	79.16
000-15262-001		1x Indicator pulley assembly	82.65	101.66
000-15263-001		1x Idler, gear, pully, assembly	152.21	187.21
000-15290-001		Head adapter kit: 1x Head adapter with bushing	521.96	642.01
000-15278-001		Rod, stabilizer kit: 1xRod, stabilizer, 1x Nut, 3/4"-10, nylon, 1x Foot, stabilizer, 1x Top cap	183.95	226.26
000-15306-001		Label, battery: 1x Label status panel w/adhesive, pedal	41.35	50.87
000-15309-001		Housing, lower, pedal kit, 47”: 1x Base, pedal, 1x Wiper seal, pedal, 3x Grommet wires pedal, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Misc. hardware, pedal kit	248.35	305.48
000-15264-001		Head sensor assy: 1x Sensor assembly, 2x Screw, M3 x 10, torx	121.76	149.76
000-15265-001		Steering motor kit: 1x Motor assembly, 1x Motor thermal pad, 1x PCBA thermal pad, 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring, 4x Screw, M3 x 10, torx, 1x Motor belt	1026.56	1262.66
000-15307-001		Damper kit: 1x Damper, pedal, 1xScrew M4X8 socket cap head S/S 304, 1x Washer M4 flat OD 12mm SST, 1x PSA washer damper	91.95	113.10
000-15297-001		Latch trigger kit, GHOST 47": 2x Latch trigger, GHOST 47"	78.26	96.26
000-15678-001		Latch trigger, GHOST 52”/GHOST 60” 2x Latch trigger, GHOST 52”/GHOST 60”	94.99	116.84
000-15305-001		PCBA, battery kit, 1x PCB TST ASY power/battery potted, 1x Cable tie/heat shrink kit, 3x Screw 7 mm torx T8	225.40	277.24
000-15830-001		ROD,STABILIZER HARDWARE KIT	22.95	28.23
000-15266-001		Tensioning bolt kit: 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring	8.66	10.65
000-15303-001		Pedal PCBA, potted assembly kit: 1x Potted main controller assembly, pedal, 1xCable tie/heat shrink kit, 6x Screw M2.5 x 10 T8 PT THR	1195.95	1471.02

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15296-001		Front latch guide kit: 1x Guide, front latch, 1x Spring, extension, front latch	69.56	85.55
000-15267-001		Thermal pad, steering motor: 1x Motor thermal pad	30.41	37.40
000-15576-001		Magnobond Epoxy: 1x Magnobond Epoxy 63-1 50 ml	409.40	503.56
000-15269-001		Steering motor thermocouple kit: 1x Cable assembly thermistor 150 mm, 1x Thermocouple adhesive, 1x PCBA thermal pad	39.11	48.10
000-15249-001		1x Cable, head to pedal, GHOST 47", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1379.95	1697.34
000-15295-001		Front latch block: 1x Front latch block	73.91	90.90
000-15581-001		Lift assist crutch: 1x Lift assist crutch	43.46	53.45
000-15670-001		1x Cable, head to pedal, GHOST 52”, 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1458.15	1793.53
000-15268-001		Thermal pad, PCBA: 1x PCBA thermal pad	21.71	26.70
000-15270-001		Slip gear assembly: 1x Gear assembly, 2x Screw, M3 x 20, torx	156.56	192.56
000-15671-001		1x Cable, head to pedal, GHOST GHOST 52”, 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1701.95	2093.40
000-15288-001		Lift assist spring kit, GHOST 47": 1x Gas spring, compression/traction, GHOST 47", 2x Binding barrel, 5/16 x 1”, Pan, PH, SS, 2x Screw, 1/4-20 x 5/16”, Pan, PH, SS	608.96	749.02
000-15679-001		Lift assist kit, GHOST 52”/GHOST 60”: 1x Gas spring, compression/traction, GHOST 52”/60”, 2x Binding barrel, 5/16 x 1”, Pan, PH, SS, 2x Screw, 1/4-20 x 5/16”, Pan, PH, SS	643.76	791.82
000-15248-001		Lower bezel kit: 1x Bezel, lower, 2x Screw, M3 x 10, torx	43.46	53.45
000-15304-001		Bottom plate, pedal kit: 1x Bottom plate, pedal, 2x Screw, M5x10 mm, hex, button, SS316, 8x Screw, no. 6x3/4, torx, pan, SS, 4x Rubber foot pedal	114.95	141.39
000-15323-001		Battery power cable kit: 1x Power cable, 2x Screw, M5 x 10 mm, hex	165.55	203.63
000-15279-001		Stabilizer, rubber foot: 1x Foot, stabilizer	13.01	16.00
000-15284-001		Wear bearing kit, GHOST 47": 2x Wear bearing, GHOST 47"	56.51	69.50
000-15680-001		Wear bearing kit, GHOST 52”/GHOST 60”: 2x Wear bearing, GHOST 52”/GHOST 60”	95.66	117.66
000-15308-001		Damper gear assembly kit: 1x Damper gear assembly, 1x Screw, cap, M4x16, 1x Screw, no. 6x3/4, torx, pan, ss	303.55	373.37
000-15286-001		Lower dressing cap kit: 1x Lower dressing cap, 1x Spring, latch extension	56.51	69.50
000-15324-001		Miscellaneous hardware kit for GHOST Trolling motor foot pedal	91.95	113.10

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15273-001		Cable tie/heat shrink kit: 6x Cable tie anchored, 12x Cable tie small, 2x Heat shrink tubing 1.5”	13.75	16.92
000-15287-001		Rear latch kit: 1x Mount rear latch 1x Pin, rear latch pivot	173.96	213.97
000-15299-001		Lower extrusion hardware kit: 2x Bolt, rear hinge, 4x Bushing, 1/2”, 2x Washer, M10, 316SS, 2x Jam nut, M10	108.71	133.71
000-15300-001		Lower extrusion kit, GHOST 47": 1x Lower extrusion, with bushing, GHOST 47"	1174.46	1444.58
000-15681-001		Lower extrusion kit, GHOST 52”/GHOST 60”:1x Lower extrusion, with bushing, , GHOST 52”/GHOST 60”	1465.91	1803.06
000-15283-001		Side plate kit, GHOST 47": 1x Cover mount RH, GHOST 47", 1x Cover mount LH, GHOST 47", 6x Screw, SHCS M4 x 0.7 x14, SS	195.71	240.72
000-15682-001		Side plate kit, GHOST 52”/GHOST 60”: 1x Cover mount RH, GHOST 52”/GHOST 60” 1x Cover mount LH, GHOST 52”/GHOST 60” 6x Screw, SHCS M4 x 0.7 x14, SS	295.76	363.78
000-15282-001		Kicker kit: 1x Front kicker, 2x Screw, SHCS M6 x 1 x 8	82.65	101.66
000-15476-001		Upper extrusion bushing kit: 2x Upper sleeve bushing 4x Rear pivot bushing	65.21	80.20
000-15479-001		Pushrod bushing kit: 2x Bushing bronze 5/8 x 1/2	56.51	69.50
000-15478-001		Head adapter bushing kit: 4x Head adaptor bushing, 2x Threaded inserts	104.36	128.36
000-15477-001		Lower extrusion bushing kit 4x 1/2” Shaft bushing	47.81	58.80
000-15829-001		GAS SPRING HARDWARE KIT Screw, 1/4-20 x 5/16”, Pan, PH, SS	52.16	64.15
000-15828-001		TIE DOWN STRAP KIT	60.86	74.85
000-15831-001		GAS SPRING CLEVIS BRACKET KIT	60.86	74.85

Accessories

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14900-001		ACTIVE IMAGING 3-IN-1 Trolling Motor Nosecone for GHOST™. Not compatible with RECON™	1953.15	2402.37
000-15275-001		HDI Nose cone transducer for GHOST™: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp and DownScan 455 kHz, 800 kHz. Not compatible with RECON™	695.96	856.03
000-15301-002		MISC. HARDWARE,MOUNT KIT	86.96	106.96
000-15237-001		GHOST Propeller kit.	234.90	288.93
000-15274-001		GHOST nosecone. No Transducer	234.86	288.87
000-15582-001		GHOST Trolling motor compass extension cable, 6 m (20')	200.06	246.07
000-15327-001		Mini 9-pin to 9-pin Sonar adapter cable	217.46	267.47
000-15325-001		Replacement trolling motor compass (TMC-1)	630.71	775.77
000-15468-001		TMR-1: Remote controll for the Ghost trolling motor.	561.15	690.21

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15582-001		GHOST Trolling motor compass extension cable, 6 m (20')	200.06	246.07

Mount parts

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15631-001		GHOST 47" MOUNT ASSEMBLY KIT	3479.96	4280.35
000-15280-002		PULL CABLE KIT V2: Kit includes: 1x Braided stainless pull cable, 1x Handle bottom, 1x Handle top, 1x rectangular washer, 1x Pull cable barrel, 2x Hex bolts, M4.0 x 0.7 x 6.	152.21	187.21
000-15809-001		GHOST 52/60" MOUNT ASSEMBLY KIT	3697.46	4547.87
000-15914-001		GHOST MOUNT HARDWARE KIT	78.26	96.26
000-15285-001		Upper dressing cap kit: 1x Upper dressing cap, 1x Lock pin upper extrusion, 1x Screw, M6x16, hex, flat, SS	65.21	80.20
000-15292-001		Upper extrusion kit with bushing, GHOST 47": 1x Upper extrusion assembly, GHOST 47"	1087.46	1337.57
000-15676-001		Upper extrusion kit, GHOST GHOST 52”/GHOST 60”: 1x Upper extrusion assembly, GHOST GHOST 52”/GHOST 60”	1426.76	1754.91
000-15281-001		Cable management clip kit: 2x Cable management clips, 2x M4 x 8 socket screw with patch, 2x M4 round base weld nut	52.16	64.15
000-15298-001		Pushrod pin kit: 1x Pushrod pin 2x Pushrod pin clip	95.66	117.66
000-15289-001		Pushrod kit, GHOST 47" 1x Clevis bracket 4x Screw, M5x8mm, hex, button, SS 1x Pushrod, finish machine with bushing, GHOST 47"	956.96	1177.06
000-15677-001		Pushrod kit, GHOST 52”/GHOST 60”: 1x Clevis bracket, 4x Screw, M5x8mm, hex, button, SS, 1x Pushrod, finish machine with bushing, GHOST 52”/GHOST 60”	930.86	1144.95
000-15293-001		Secondary latch kit: 1x Secondary latch, 1x Spring, secondary latch torsion, 2x Washer, 1/2", nylon, 1x C-ring, 1/2", 15-7 PH SS, 1x Pull cable spacer	100.01	123.01
000-15291-001		Upper head adapter pin kit: 1x Pin, upper head, 2x E-clip, 1/2", 15-7 PH SS	65.21	80.20
000-15294-001		Lower head adapter pin kit: 1x Pin bracket/bow arm, 1x Set screw, M6 x 8, SS	69.56	85.55
000-15290-001		Head adapter kit: 1x Head adapter with bushing	521.96	642.01
000-15297-001		Latch trigger kit, GHOST 47": 2x Latch trigger, GHOST 47"	78.26	96.26
000-15678-001		Latch trigger, GHOST 52”/GHOST 60” 2x Latch trigger, GHOST 52”/GHOST 60”	94.99	116.84
000-15296-001		Front latch guide kit: 1x Guide, front latch, 1x Spring, extension, front latch	69.56	85.55
000-15295-001		Front latch block: 1x Front latch block	73.91	90.90
000-15581-001		Lift assist crutch: 1x Lift assist crutch	43.46	53.45
000-15288-001		Lift assist spring kit, GHOST 47": 1x Gas spring, compression/traction, GHOST 47", 2x Binding barrel, 5/16 x 1”, Pan, PH, SS, 2x Screw, 1/4-20 x 5/16”, Pan, PH, SS	608.96	749.02
000-15679-001		Lift assist kit, GHOST 52”/GHOST 60”: 1x Gas spring, compression/traction, GHOST 52”/60”, 2x Binding barrel, 5/16 x 1”, Pan, PH, SS, 2x Screw, 1/4-20 x 5/16”, Pan, PH, SS	643.76	791.82

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15284-001		Wear bearing kit, GHOST 47": 2x Wear bearing, GHOST 47"	56.51	69.50
000-15680-001		Wear bearing kit, GHOST 52”/GHOST 60”: 2x Wear bearing, GHOST 52”/GHOST 60”	95.66	117.66
000-15286-001		Lower dressing cap kit: 1x Lower dressing cap, 1x Spring, latch extension	56.51	69.50
000-15287-001		Rear latch kit: 1x Mount rear latch 1x Pin, rear latch pivot	173.96	213.97
000-15299-001		Lower extrusion hardware kit: 2x Bolt, rear hinge, 4x Bushing, 1/2”, 2x Washer, M10, 316SS, 2x Jam nut, M10	108.71	133.71
000-15300-001		Lower extrusion kit, GHOST 47": 1x Lower extrusion, with bushing, GHOST 47"	1174.46	1444.58
000-15681-001		Lower extrusion kit, GHOST 52”/GHOST 60”:1x Lower extrusion, with bushing, , GHOST 52”/GHOST 60”	1465.91	1803.06
000-15283-001		Side plate kit, GHOST 47": 1x Cover mount RH, GHOST 47", 1x Cover mount LH, GHOST 47", 6x Screw, SHCS M4 x 0.7 x14, SS	195.71	240.72
000-15682-001		Side plate kit, GHOST 52”/GHOST 60”: 1x Cover mount RH, GHOST 52”/GHOST 60” 1x Cover mount LH, GHOST 52”/GHOST 60” 6x Screw, SHCS M4 x 0.7 x14, SS	295.76	363.78
000-15282-001		Kicker kit: 1x Front kicker, 2x Screw, SHCS M6 x 1 x 8	82.65	101.66
000-15476-001		Upper extrusion bushing kit: 2x Upper sleeve bushing 4x Rear pivot bushing	65.21	80.20
000-15479-001		Pushrod bushing kit: 2x Bushing bronze 5/8 x 1/2	56.51	69.50
000-15478-001		Head adapter bushing kit: 4x Head adaptor bushing, 2x Threaded inserts	104.36	128.36
000-15477-001		Lower extrusion bushing kit 4x 1/2” Shaft bushing	47.81	58.80
000-15829-001		GAS SPRING HARDWARE KIT Screw, 1/4-20 x 5/16”, Pan, PH, SS	52.16	64.15
000-15828-001		TIE DOWN STRAP KIT	60.86	74.85
000-15831-001		GAS SPRING CLEVIS BRACKET KIT	60.86	74.85

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15829-001		GAS SPRING HARDWARE KIT Screw, 1/4-20 x 5/16”, Pan, PH, SS	52.16	64.15

Head parts

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15730-001		Indicator ring decal kit: 1x Indicator ring decal	10.40	12.79
000-15810-001		GHOST 52" -TM SERVICE KIT - NO MOUNT	12614.96	15516.40
000-15811-001		GHOST 60" -TM SERVICE KIT - NO MOUNT	12875.96	15837.43
000-15806-001		GHOST 47" -TM SERVICE KIT - NO MOUNT	12571.46	15462.89
000-15253-001		Lowrance label 1x Head decal	69.56	85.55
000-15250-001		Indicator assembly 1x Indicator w/magnet, 1x Indicator ring	100.01	123.01
000-15252-001		Top housing assembly 1x Housing, upper assembly (including head decal and indicator decal ring), 14x Screw, torx, no. 6 x 3/4	260.96	320.98
000-15251-001		Housing hardware 14x Screw, torx, no. 6 x 3/4	43.46	53.45
000-15254-001		Case seal 1x Seal, case	65.21	80.20
000-15255-001		GPS PCBA 1x PCB Test Assembely: 2x Screw, torx, no. 6 x 3/8, 1x GPS PCBA cable (not shown in the illustration)	213.15	262.17
000-15256-001		PCBA, main head kit: 1x PCB TST ASY head controller CC, 1x Thermal pad, 6x Screw, torx, no. 6 x 3/8, 1x Screw, M3 x 10, torx	765.56	941.63
000-15257-001		Thermal spreader kit, 1x Spreader, thermal, 1x Thermal pad, 3x Screw, M3 x 10, torx	52.16	64.15
000-15258-001		Gear cover kit: 1x Cover, gear drive, 8x Screw, M3 x 18, hex, 1x Cable tie/heat shrink kit.	143.51	176.51
000-15259-001		12x Screw, M3 x 20, torx	43.46	53.45
000-15260-001		1x Motor belt	34.76	42.75
000-15261-001		1x Indicator belt	30.41	37.40
000-15262-001		1x Indicator pulley assembly	82.65	101.66
000-15263-001		1x Idler, gear, pully, assembly	152.21	187.21
000-15264-001		Head sensor assy: 1x Sensor assembly, 2x Screw, M3 x 10, torx	121.76	149.76

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15265-001		Steering motor kit: 1x Motor assembly, 1x Motor thermal pad, 1x PCBA thermal pad, 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring, 4x Screw, M3 x 10, torx, 1x Motor belt	1026.56	1262.66
000-15266-001		Tensioning bolt kit: 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring	8.66	10.65
000-15267-001		Thermal pad, steering motor: 1x Motor thermal pad	30.41	37.40
000-15269-001		Steering motor thermocouple kit: 1x Cable assembly thermistor 150 mm, 1x Thermocouple adhesive, 1x PCBA thermal pad	39.11	48.10
000-15268-001		Thermal pad, PCBA: 1x PCBA thermal pad	21.71	26.70
000-15270-001		Slip gear assembly: 1x Gear assembly, 2x Screw, M3 x 20, torx	156.56	192.56
000-15248-001		Lower bezel kit: 1x Bezel, lower, 2x Screw, M3 x 10, torx	43.46	53.45
000-15279-001		Stabilizer, rubber foot: 1x Foot, stabilizer	13.01	16.00

Lower unit parts

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15240-001		2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 47"/lower unit (pre-assembled)	6198.75	7624.46
000-15674-001		2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 52”/lower unit (pre-assembled)	6307.50	7758.23
000-15675-001		2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 60”/lower unit (pre-assembled)	6520.65	8020.40
000-15395-001		Lower unit front cap kit: 1x Front cap, 1x O-ring, 80x3 mm, 4x Screw, M3, 5x10 1x Screw, M5x8, 1x Seal washer, 5x9x1	300.11	369.13
000-15388-001		Lower unit rear cap kit: 1x Rear cap 2x Shaft seal, greased 1x O-ring, 85x3 mm 1x Bearing-shim washer	443.66	545.70
000-15723-001		The Prop Shaft Anode for the Lowrance Ghost® & RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water. NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty.	100.01	123.01
000-15387-001		Lower unit rotor assembly: 1x Rotor assembly	1304.96	1605.10
000-15247-001		Lower unit hardware kit: 1x Seal washer, 5x9x1, 1x Screw, M5x8, 4x Screw, M3, 5x10, 1x Bearing-shim washer, 1x O-ring, 85x3 mm, 1x O-ring, 80x3 mm	10.83	13.32
000-15241-001		Nose cone O-ring kit: 1x O-ring, 41x2.62mm, 1x O-ring, 15x3.53mm, 2x O-ring, 84x4.10mm	30.41	37.40
000-15668-001		1x Lower housing assy with outer column, GHOST 52”, 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	904.76	1112.85
000-15669-001		1x Lower housing assy with outer column, GHOST 60”, 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	922.16	1134.25

Pedal parts

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15319-001		Center cover kit: 1x Center cover, pedal, 1x Screw, no. 6x3/8, Phillips, pan, SS	59.75	73.50
000-15318-001		Switch housing kit: 1x Switch housing, pedal, 2x Screw, no. 6x3/8, Phillips, pan, SS	36.75	45.21
000-15314-001		Momentary switch kit: 1x Momentary switch, pedal, 2x Screw, M3x18mm, hex, button, 304SS, 1xScrew, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 2x Nylock SS nut M3, 1x Momentary button, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m, 1x Momentary pin, pedal	128.75	158.37
000-15315-001		Bluetooth module kit: 4x Screw 7mm torx T8, 1x Screw, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 1x Bluetooth seal, pedal, 1x Bluetooth cover, pedal, 1x Bluetooth cable grommet, pedal, 1x PCB TST assembly Bluetooth	202.35	248.90
000-15310-001		GHOST foot pedal Configurable button 1 kit. 1 x Front left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	87.35	107.45
000-15312-001		GHOST foot pedal Configurable button 2 kit. 1 x Back left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	87.35	107.45
000-15311-001		GHOST foot pedal anchor button kit (front right button): Kit contains 1 x front right "Anchor" button assembly, 1x Spring, compression, 7mm ID x 15mm x 1m	91.95	113.10
000-15313-001		GHOST foot pedal Configurable button 3.1 x Back right button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	91.95	113.10
000-15320-001		Driving gear kit: 1x Driving gear, pedal, 2x Screw, no. 6x3/4, torx, pan, SS	41.35	50.87
000-15322-001		Pedal, upper: 1x Upper, pedal	156.35	192.32
000-15321-001		Pivot pin: 1x Pivot pin, pedal	41.35	50.87
000-15317-001		Potentiometer kit: 1x Potentiometer, pedal, 1x Lock washer, 3/8", internal tooth, SS, 1x Nut, 3/8-32, SS, 1x Screw, no. 6x3/8, Phillips, pan, SS (not shown in the illustration), 2x Cable tie, anchored (not shown in the illustration)	183.95	226.26
000-15316-001		Speed knob kit: 1x Speed knob, pedal: 1x Spring, Compression, speed knob, 1x E-clip 3/4", 1x D-clip, 1/4" shaft	64.35	79.16
000-15306-001		Label, battery: 1x Label status panel w/adhesive, pedal	41.35	50.87
000-15309-001		Housing, lower, pedal kit, 47": 1x Base, pedal, 1x Wiper seal, pedal, 3x Grommet wires pedal, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Misc. hardware, pedal kit	248.35	305.48
000-15307-001		Damper kit: 1x Damper, pedal, 1xScrew M4X8 socket cap head S/S 304, 1x Washer M4 flat OD 12mm SST, 1x PSA washer damper	91.95	113.10
000-15305-001		PCBA, battery kit, 1x PCB TST ASY power/battery potted, 1x Cable tie/heat shrink kit, 3x Screw 7 mm torx T8	225.40	277.24
000-15303-001		Pedal PCBA, potted assembly kit: 1x Potted main controller assembly, pedal, 1xCable tie/heat shrink kit, 6x Screw M2.5 x 10 T8 PT THR	1195.95	1471.02
000-15249-001		1x Cable, head to pedal, GHOST 47", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1379.95	1697.34
000-15670-001		1x Cable, head to pedal, GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1458.15	1793.53

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15671-001		1x Cable, head to pedal, GHOST GHOST 52”, 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1701.95	2093.40
000-15304-001		Bottom plate, pedal kit: 1x Bottom plate, pedal, 2x Screw, M5x10 mm, hex, button, SS316, 8x Screw, no. 6x3/4, torx, pan, SS, 4x Rubber foot pedal	114.95	141.39
000-15323-001		Battery power cable kit: 1x Power cable, 2x Screw, M5 x 10 mm, hex	165.55	203.63
000-15308-001		Damper gear assembly kit: 1x Damper gear assembly, 1x Screw, cap, M4x16, 1x Screw, no. 6x3/4, torx, pan, ss	303.55	373.37
000-15324-001		Miscellaneous hardware kit for GHOST Trolling motor foot pedal	91.95	113.10
000-15273-001		Cable tie/heat shrink kit: 6x Cable tie anchored, 12x Cable tie small, 2x Heat shrink tubing 1.5”	13.75	16.92

Shaft parts

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15672-001	1x Column, inner shaft, 52"	239.15	294.16
000-15673-001	1x Column, inner shaft, 60"	271.35	333.77
000-15235-001	360 Head HW kit: 2x Screw, SHCS M8 x 1.25 x 20	11.45	14.09
000-15238-001	Propeller hardware kit: 1x Thrust washer, 1x Propeller pin 1x M10 Propeller washer 1x M10 Nylock nut	41.35	50.87
000-15239-001	1x Column, inner shaft, 47"	206.95	254.55
000-15245-001	OUTER SHAFT	147.15	181.00
000-15246-001	1x Lower housing assy with outer column, GHOST 47", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	1011.95	1244.70
000-15242-001	Bearing, sealed kit: 2x Bearing sealed, 2x Bearing wedge, 1x Seal, shaft, 1x Cable tie/heat shrink kit	299.00	367.77
000-15243-001	Bearing cup: 1x Bearing cup	59.75	73.50
000-15244-001	Lower bearing clamp kit: 2x Collar, lower, 2x Screw, M5x20 mm, hex	110.35	135.74
000-15271-001	Upper clamp kit: 1x Collar, plain, upper, 1x Collar threaded, upper, 2x Screw, M4x25 mm, hex, socket, SS316	115.00	141.45
000-15272-001	Shaft seal: 1x Seal, shaft	27.55	33.89
000-15277-001	Nose cone hardware kit: 1x O-ring, 15x3.53mm, 1x O-ring, 41x2.62mm, 1x Nose cone cap, 1x Bolt, transducer, 2x O-ring, 84x4.10mm	105.75	130.08
000-15278-001	Rod, stabilizer kit: 1xRod, stabilizer, 1x Nut, 3/4"-10, nylon, 1x Foot, stabilizer, 1x Top cap	183.95	226.26
000-15807-001	COLLAR CLAMP KIT V.1.1	165.55	203.63
000-15808-001	360 HEAD ASSEMBLY V.1.1	1057.95	1301.28
000-15830-001 	ROD,STABILIZER HARDWARE KIT	22.95	28.23
000-15576-001	Magnobond Epoxy: 1x Magnobond Epoxy 63-1 50 ml	409.40	503.56


Tools

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15577-001	TROLLING MOTOR SERVICE FIXTURE	3123.40	3841.78
000-15579-001 	M32 Hollow tap for composite shaft replacement.	317.35	390.35
000-15578-001	5/8”-18 Slide hammer adapter	59.75	73.50
000-15580-001	10lb. weight for shaft bearing pre-load	225.40	277.24

ActiveTarget™

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16054-001		ActiveTarget™2 Trolling Motor Shaft Mount	345.00	424.35
000-15960-001		The ActiveTarget® 2 Scout™ wide bracket	483.00	594.09
000-16069-001		Extension Cable for Active Target	459.95	565.74
000-15773-001		ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	229.95	282.84
000-15770-001		ActiveTarget trolling motor shaft mounting kit	271.40	333.82
000-15771-001		ActiveTarget trolling motor mounting kit. Forward / down view	243.75	299.82
000-15772-001		Replacement - ActiveTarget Trolling Motor Scout Mount Kit	243.75	299.82

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15960-001		The ActiveTarget® 2 Scout™ wide bracket	483.00	594.09
000-15773-001		ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	229.95	282.84

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)


ActiveTarget™

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16488-001		ActiveTarget® 2 XL kit Includes, ActiveTarget® 2 module, ActiveTarget® 2 XL transducer 7.62 m (25 ft) cable, shaft mount, Ethernet cable, power cable.	8292.68	10200.00
000-16489-001		ActiveTarget® 2 XL Transducer only with 7.6 m (25 ft) cable.	5528.45	6800.00
000-16490-001		ActiveTarget® 2 XL Transducer only with 3m (10 ft) cable.	5528.45	6800.00
000-16491-001		Shaft mount bracket. ActiveTarget® 2 XL transducer	739.84	910.00
000-16501-001		ActiveTarget® 2 XL RECON™ Mount.	1235.77	1520.00
000-15959-001		ActiveTarget® 2 kit Includes ActiveTarget® 2 Module,Transducer with 7.62 m (25 ft) cable, and Mounts	6422.77	7900.00
000-15961-001		ActiveTarget® 2 Module Only	3414.64	4200.00
000-15962-001		ActiveTarget® 2 Transducer only with 7.62 m (25 ft) cable	3577.24	4400.00
000-16502-001		ActiveTarget® 2 Shaft Mount.	739.84	910.00
000-16503-001		RECON™ ActiveTarget® 2 Mounting kit.	1482.12	1823.00
000-16462-001		TM ACTIVETARGET 2 MOUNTING KIT	1011.39	1244.00
000-16054-001		ActiveTarget® 2 Trolling Motor Shaft Mount	345.00	424.35
000-15773-001		ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	229.95	282.84
000-15960-001		The ActiveTarget® 2 Scout™ Wide Bracket	483.00	594.09
000-16069-001		Extension Cable for ActiveTarget, ActiveTarget 2, ActiveTarget 2 XL transducers	453.66	558.00

Sonar

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16054-001		ActiveTarget™2 Trolling Motor Shaft Mount	345.00	424.35
000-0127-29		Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	257.60	316.85
000-15770-001		ActiveTarget trolling motor shaft mounting kit	271.40	333.82
000-15771-001		ActiveTarget trolling motor mounting kit. Forward / down view	243.75	299.82
000-15772-001		Replacement - ActiveTarget Trolling Motor Scout Mount Kit	243.75	299.82
000-00128-001		4-pin Power Cable for modules and MFDs.	184.00	226.32

Active Imaging™

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14489-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	1665.15	2048.14
000-14814-001		ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 1.8m (6ft) cable with 9 pin connector.	1665.15	2048.14
000-14490-001		ActiveImaging™ 2-IN-1 Transducer - Provides Active Imaging technology for SideScan and DownScan while leaving you free to select other transducer options for for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9 pin connector.	1412.15	1736.95
000-15813-001		ActiveImaging 2-IN-1 Transducer with 83/200 in-hull puck (Depth only) and 9 Pin Y cable.	1665.15	2048.14
000-15812-001		ActiveImaging™ 2-in-1 Transducer with 83/200 Skimmer Transducer and Y-Cable	1665.15	2048.14
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2295.40	2823.34
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2525.40	3106.24
000-16063-001		ActiveImaging™ HD 2-in-1 Transducer. Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	1697.40	2087.80
000-16095-001		Stainless Steel Skimmer Flush Mount Bracket for Active Imaging HD Transducers	285.20	350.80
000-16094-001		Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers	321.95	396.00

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16095-001		Stainless Steel Skimmer Flush Mount Bracket for Active Imaging HD Transducers	285.20	350.80
000-16094-001		Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers	321.95	396.00
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	303.55	373.37
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	400.15	492.19

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16094-001		Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers	321.95	396.00
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	303.55	373.37

LiveSight™

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14899-001		PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system.	1890.55	2325.38

Accessories


Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14899-001		PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system.	1890.55	2325.38

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14959-001	Missing Image	Replacement Mounts for LiveSight Transducer.	367.95	452.58


StructureScan

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-16363-001		StructureScan 3D Transducer ONLY WITH METAL BRACKET- The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding StuctureScan to create a high-resolution view. Cable length 6.0 m (20 ft)	2065.40	2540.44
000-12397-001		StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	2980.80	3666.38
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2024.00	2489.52
000-14254-001		StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	7093.20	8724.64
000-14255-001		StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	7093.20	8724.64
000-13559-001		StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	7093.20	8724.64
000-13560-001		StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	12162.40	14959.75
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	547.40	673.30
000-12568-001		TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	1665.20	2048.20
000-14259-001		TotalScan™ Through-Hull Transducer with Low/High Chirp and 455/800kHz Down and SideScan.	3542.00	4356.66
000-14257-001		TotalScan™ Through-Hull Transducer with Medium/High Chirp and 455/800kHz Down and SideScan.	3542.00	4356.66
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	298.95	367.71
000-10802-001		StructureScan™ HD Skimmer Transom Mount Transducer	1425.95	1753.92
000-11459-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	4457.40	5482.60
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	8735.40	10744.54
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	303.55	373.37
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	303.55	373.37

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	400.15	492.19

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	2980.80	3666.38
000-0106-72		HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector . Cable Length 6 m (20 ft)	354.15	435.61
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2024.00	2489.52
000-0106-77		HST-DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector. Cable Length 6 m (20 ft)	712.95	876.93
000-14254-001		StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	7093.20	8724.64
000-14255-001		StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	7093.20	8724.64
000-0127-51		Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	174.80	215.00
000-0106-73		PD-WBL 83/200 kHz shoot-thru or trolling-motor mount transducer. Depth only. Cable Length 6m (20ft)	418.55	514.82
000-0106-74		PDT-WBL 83/200 kHz Pod-Style / Trolling-Motor mount with built-in tempsensor and 7-pin blue connector. 6m (20ft) cable.	455.35	560.09
000-0127-29		Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	257.60	316.85
000-13559-001		StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	7093.20	8724.64
000-13560-001		StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	12162.40	14959.75
000-0127-30		Ethernet Cable -Yellow 5-Pin Male-Male - 7.6 m (25 ft)	363.40	446.98
000-0106-89		PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector. Cable Length 6 m (20 ft)	575.00	707.25
000-0127-37		Ethernet Cable -Yellow 5-Pin Male-Male - 15.2 m (50 ft)	501.40	616.72

Sonar

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0106-94		PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable.	455.35	560.09
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	547.40	673.30
000-10046-001		7pin adapter cable to bare wires. To connect a bare-wire transducer to a display with 7pin sonar port.	133.40	164.08
000-11040-001	Missing Image	Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	500.94	616.16
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	666.95	820.35
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	225.35	277.19
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	225.35	277.19
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	298.95	367.71
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	1310.95	1612.47
000-10802-001		StructureScan™ HD Skimmer Transom Mount Transducer	1425.95	1753.92
000-11459-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	4457.40	5482.60
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	8735.40	10744.54
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	303.55	373.37
000-12602-001		Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	303.55	373.37
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	400.15	492.19
000-13581-001		Fairing Block only for StructureScan 3D Through-Hull transducers.	501.35	616.67
000-10874-001		LSS-HD Skimmer Mount Transducer Bracket	303.55	373.37

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10978-001		HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)	119.55	147.05

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2024.00	2489.52
000-0127-29		Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	257.60	316.85
000-14256-001		Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	501.35	616.67
000-14260-001		TotalScan™ Through-Hull Transducer Fairing Block Only	501.40	616.72
000-10802-001		StructureScan™ HD Skimmer Transom Mount Transducer	1425.95	1753.92
000-12603-001		Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	303.55	373.37
000-13581-001		Fairing Block only for StructureScan 3D Through-Hull transducers.	501.35	616.67
000-10874-001		LSS-HD Skimmer Mount Transducer Bracket	303.55	373.37
000-00128-001		4-pin Power Cable for modules and MFDs.	184.00	226.32

XSONIC Transducers

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001		S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-13260-001		S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7456.60	9171.62
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	151.80	186.71
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	179.40	220.66
000-15880-001		XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise	777.40	956.20
000-13907-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2617.40	3219.40
000-13906-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2617.35	3219.35
000-13905-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2617.35	3219.35
000-13946-001		B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	1467.40	1804.90
000-16185-001		B60 (0°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1835.40	2257.54
000-13784-001		SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-16184-001		B60 (0°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 1.8m (6 ft) cable.	1835.40	2257.54
000-16186-001		B60 (12°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1835.40	2257.54
000-13785-001		SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-16188-001		B60 (20°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1835.40	2257.54
000-13786-001		SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44

Sonar

LOWRANCE


Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16187-001		B60 (20°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 1.8m (6ft) cable. Boatbuilder only.	1835.40	2257.54
000-16189-001		B75H (0°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4043.40	4973.38
000-13911-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4186.00	5148.78
000-16190-001		B75H (12°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4043.40	4973.38
000-13912-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4186.00	5148.78
000-16191-001		B75H (20°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4043.40	4973.38
000-13913-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4135.40	5086.54
000-16192-001		B75M (0°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4457.40	5482.60
000-13908-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4595.40	5652.34
000-16193-001		B75M (12°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4457.40	5482.60
000-13909-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4595.40	5652.34
000-16194-001		B75M (20°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4457.40	5482.60
000-13910-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4687.40	5765.50
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	685.40	843.04
000-13922-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/TemperatureTransducer. 9pin connector with 10m (33ft) cable.	2433.40	2993.08
000-13921-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/TemperatureTransducer. 9pin connector with 10m (33ft) cable.	2433.40	2993.08

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13920-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/TemperatureTransducer. 9pin connector with 10m (33ft) cable.	2433.40	2993.08
000-13918-001		SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-13917-001		SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-13916-001		SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-16196-001		B175H-W (0°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8137.40	10009.00
000-13780-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-16195-001		B175H-W (0°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	8137.40	10009.00
000-16198-001		B175H-W (12°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8137.40	10009.00
000-13781-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8137.40	10009.00
000-16197-001		B175H-W (12°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	8137.40	10009.00
000-16200-001		B175H-W (20°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8137.40	10009.00
000-13782-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-16199-001		B175H-W (20°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	8137.40	10009.00
000-16202-001		B175M (0°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7079.40	8707.66
000-13777-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6665.40	8198.44
000-16201-001		B175M (0°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	7079.40	8707.66

Sonar

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16203-001		B175M (12°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7079.40	8707.66
000-13778-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6665.40	8198.44
000-16205-001		B175M (20°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7079.40	8707.66
000-13779-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6665.40	8198.44
000-16204-001		B175M (20°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	7079.40	8707.66
000-16206-001		B175L (0°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7539.40	9273.46
000-13774-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-16207-001		B175L (12°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7539.40	9273.46
000-13775-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-16208-001		B175L (20°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7539.40	9273.46
000-13776-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-13964-001		B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	3905.40	4803.64
000-13783-001		SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	6435.40	7915.54
000-13914-001		M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.	5515.40	6783.94
000-16370-001		Airmar B65LH CHIRP Transducer with DUAL 9-pin connectors. 10 m (33 ft) cable.	9195.40	11310.34
000-13771-001		B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	9885.40	12159.04
000-13940-001		PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	10805.40	13290.64

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13772-001		CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	10345.40	12724.84
000-14561-001		B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	8873.40	10914.28
000-13915-001		P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	777.40	956.20
000-13773-001		R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	24605.40	30264.64
000-13941-001		CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	22397.40	27548.80
000-14804-001		B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	3077.40	3785.20
000-13919-001		P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.	805.00	990.15
000-13944-001		TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 10m cable.	1605.40	1974.64
000-15482-001		TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 9m cable.	3215.40	3954.94
000-13998-001		TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	5975.40	7349.74
000-13997-001		TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	5975.40	7349.74
000-16371-001		Airmar TM265LH CHIRP Transducer with DUAL 9-pin blue connectors. 10 m (33 ft) cable.	8735.40	10744.54
000-13904-001		TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 10m cable.	6205.40	7632.64
000-13770-001		TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	10575.40	13007.74
000-13262-001		Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	1927.40	2370.70

Sonar

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14884-001		High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector	423.15	520.48
000-14885-001		9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector	717.55	882.59
000-14886-001		9-Pin 83/200kHz Pod-Style Shoot-Through Trandsucer. Depth only.	423.15	520.48
000-14887-001		9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp	423.15	520.48
000-14888-001	Missing Image	9-Pin 83/200kHz Trolling-Motor Pod Transducer w/Temp	464.55	571.40

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	151.75	186.66
000-16295-001		Transducer, Network cable pulling tools	114.95	141.39
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	151.80	186.71
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	179.40	220.66
000-0106-73		PD-WBL 83/200 kHz shoot-thru or trolling-motor mount transducer. Depth only. Cable Length 6m (20ft)	418.55	514.82
000-15880-001		XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise	777.40	956.20
000-0106-74		PDT-WBL 83/200 kHz Pod-Style / Trolling-Motor mount with built-in tempsensor and 7-pin blue connector. 6m (20ft) cable.	455.35	560.09
000-13907-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2617.40	3219.40
000-16062-001		ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16060-001		ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2295.40	2823.34

Sonar


LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13906-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2617.35	3219.35
000-0106-89		PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector. Cable Length 6 m (20 ft)	575.00	707.25
000-13905-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2617.35	3219.35
000-16061-001		ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2525.40	3106.24
000-13946-001		B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	1467.40	1804.90
000-0099-95		TS-1BL Temperature sensor (non-networked) Cable Length 6 m (20 ft).	391.00	480.93
000-13784-001		SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-16063-001		ActiveImaging™ HD 2-in-1 Transducer. Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	1697.40	2087.80
000-13785-001		SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-13786-001		SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	400.15	492.19
000-13911-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4186.00	5148.78
000-13912-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4186.00	5148.78
000-13913-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4135.40	5086.54
000-13908-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4595.40	5652.34

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13909-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4595.40	5652.34
000-13910-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4687.40	5765.50
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	685.40	843.04
000-13922-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/TemperatureTransducer. 9pin connector with 10m (33ft) cable.	2433.40	2993.08
000-13921-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/TemperatureTransducer. 9pin connector with 10m (33ft) cable.	2433.40	2993.08
000-13920-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/TemperatureTransducer. 9pin connector with 10m (33ft) cable.	2433.40	2993.08
000-13918-001		SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-13917-001		SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-13916-001		SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-13780-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-13781-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8137.40	10009.00
000-13782-001		SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-13777-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6665.40	8198.44
000-13778-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6665.40	8198.44
000-13779-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6665.40	8198.44
000-13774-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84

Sonar

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13775-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-13776-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-13964-001		B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	3905.40	4803.64
000-13783-001		SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	6435.40	7915.54
000-13914-001		M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.	5515.40	6783.94
000-13771-001		B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	9885.40	12159.04
000-13940-001		PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	10805.40	13290.64
000-13772-001		CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	10345.40	12724.84
000-14561-001		B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	8873.40	10914.28
000-13915-001		P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	777.40	956.20
000-13773-001		R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	24605.40	30264.64
000-13941-001		CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	22397.40	27548.80
000-14804-001		B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	3077.40	3785.20
000-13919-001		P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.	805.00	990.15
000-13944-001		TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 10m cable.	1605.40	1974.64
000-15482-001		TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 9m cable.	3215.40	3954.94

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13998-001		TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	5975.40	7349.74
000-13997-001		TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	5975.40	7349.74
000-13904-001		TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 10m cable.	6205.40	7632.64
000-13770-001		TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	10575.40	13007.74
000-13262-001		Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	1927.40	2370.70
000-14884-001		High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector	423.15	520.48
000-14885-001		9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector	717.55	882.59
000-14886-001		9-Pin 83/200kHz Pod-Style Shoot-Through Trandsucer. Depth only.	423.15	520.48
000-14887-001		9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp	423.15	520.48
000-14888-001	Missing Image	9-Pin 83/200kHz Trolling-Motor Pod Transducer w/Temp	464.55	571.40
000-0051-45		TMB-S Trolling-motor mount bracket for standard Skimmer® transducer	91.95	113.10
000-0051-52		Suction Cup Kit - Suction cup kit for portable skimmer transducers	91.95	113.10
000-10392-001		50/200kHz Skimmer™ transducer mounting kit	114.95	141.39
000-0106-98		Epoxy transducer mounting adhesive. NOTE: THIS PACK CONTAINS SIX SACHETS AND PRICE IS PER SACHET. Please Multiply price by six.	50.55	62.18
000-0099-06		Mounting kit for transom mount 83/200 kHz skimmer transducers.	114.95	141.39
000-10606-001		KAYAK SCUPPER HOLE TRANSDUCER MOUNT	243.75	299.82

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15470-001		B744VC ACTIVE INSERT - REPLACEMENT	1421.40	1748.32
000-0127-29		Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	257.60	316.85
000-10392-001		50/200kHz Skimmer™ transducer mounting kit	114.95	141.39
000-00128-001		4-pin Power Cable for modules and MFDs.	184.00	226.32

Blue

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	2980.80	3666.38
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	151.75	186.66
000-0106-72		HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector . Cable Length 6 m (20 ft)	354.15	435.61
000-0106-77		HST-DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector. Cable Length 6 m (20 ft)	712.95	876.93
000-0106-73		PD-WBL 83/200 kHz shoot-thru or trolling-motor mount transducer. Depth only. Cable Length 6m (20ft)	418.55	514.82
000-0106-74		PDT-WBL 83/200 kHz Pod-Style / Trolling-Motor mount with built-in tempsensor and 7-pin blue connector. 6m (20ft) cable.	455.35	560.09
000-0106-89		PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector. Cable Length 6 m (20 ft)	575.00	707.25
000-0106-94		PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable.	455.35	560.09
000-0099-95		TS-1BL Temperature sensor (non-networked) Cable Length 6 m (20 ft).	391.00	480.93
000-10046-001		7pin adapter cable to bare wires. To connect a bare-wire transducer to a display with 7pin sonar port.	133.40	164.08
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	225.35	277.19
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	225.35	277.19

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	151.75	186.66
000-16295-001		Transducer, Network cable pulling tools	114.95	141.39

Sonar

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	151.80	186.71
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	179.40	220.66
000-10046-001		7pin adapter cable to bare wires. To connect a bare-wire transducer to a display with 7pin sonar port.	133.40	164.08
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	225.35	277.19
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	225.35	277.19
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	400.15	492.19
000-0106-98		Epoxy transducer mounting adhesive. NOTE: THIS PACK CONTAINS SIX SACHETS AND PRICE IS PER SACHET. Please Multiply price by six.	50.55	62.18

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-29		Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	257.60	316.85
000-10392-001		50/200kHz Skimmer™ transducer mounting kit	114.95	141.39
000-0099-06		Mounting kit for transom mount 83/200 kHz skimmer transducers.	114.95	141.39
000-00128-001		4-pin Power Cable for modules and MFDs.	184.00	226.32

HDI™

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15640-001		HDI Skimmer® transducer 83/200/455/800kHz for Hook2*, Hook Reveal, and Eagle 7,9. Built-in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8-pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2)	538.15	661.93
000-15639-001		HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	1108.55	1363.52
000-14267-001		HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector in Lowrance branded blue housing with 2 m (6ft) transducer cable.	666.95	820.35
000-12570-001		HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector in Lowrance branded blue housing. 4.5 m (15 ft) cable	657.80	809.09
000-12728-001		HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)	667.00	820.41
000-12569-001		HDI Skimmer L/H 455/800 xSonic 9-pin - Black - 6m (20 ft) Cable	1311.00	1612.53
000-13889-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 1.8m (6ft). Blue Lowrance branded body.	666.95	820.35
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	666.95	820.35
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	1310.95	1612.47

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13313-001		Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	151.75	186.66
000-16295-001		Transducer, Network cable pulling tools	114.95	141.39
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	179.40	220.66
000-0099-95		TS-1BL Temperature sensor (non-networked) Cable Length 6 m (20 ft).	391.00	480.93
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	225.35	277.19
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	225.35	277.19

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0051-52		Suction Cup Kit - Suction cup kit for portable skimmer transducers	91.95	113.10
000-10606-001		KAYAK SCUPPER HOLE TRANSDUCER MOUNT	243.75	299.82
000-10978-001		HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)	119.55	147.05
000-14414-001		8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	252.95	311.13

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10262-001		Replacement mount for Skimmer and top housing.	170.15	209.29

Uniplug

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0106-48		HST-WSU 83/200kHz Skimmer Transducer with Temp Sensor. 20ft Cable and UniPlug.	340.35	418.64
000-0106-69		PDRT-WSU - 83/200kHz Pod style transducer with Remote Temp sensor. 20ft cable.	391.50	481.55
000-0106-68		PTI-WSU - 83/200kHz Ice Transducer with 7ft cable and UniPlug connector.	510.55	627.98

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0099-06	Mounting kit for transom mount 83/200 kHz skimmer transducers.	114.95	141.39

DSI™

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10260-001		Dual frequency DSI DownScan Skimmer® transducer 455/800kHz with built in temp. Includes 20ft cable, mounting bracket and hardware.	593.40	729.88

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0051-52		Suction Cup Kit - Suction cup kit for portable skimmer transducers	91.95	113.10
000-0099-06		Mounting kit for transom mount 83/200 kHz skimmer transducers.	114.95	141.39
000-10261-001		Low profile trolling motor mount for use with DSI Skimmer transducer. Includes trolling motor snap on mount, stainless steel trolling motor clamp, and 2 zip ties.	119.55	147.05
000-10606-001		KAYAK SCUPPER HOLE TRANSDUCER MOUNT	243.75	299.82

Cables

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16295-001		Transducer, Network cable pulling tools	114.95	141.39

Halo

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14543-001		HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001		HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001		HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10795-001		SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	2755.40	3389.14
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-14551-001		Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	299.00	367.77
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	547.40	673.30
000-14549-001		Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	823.40	1012.78
000-14550-001		Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	1099.40	1352.26

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	193.20	237.64
000-14547-001		Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	354.20	435.67

Autopilot Kits

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15952-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 MKII – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	6067.40	7462.90
000-15951-001		NAC-1 Precision Hydraulic Autopilot pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 (MkII) Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	8597.40	10574.80
000-13335-001		NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13337-001		NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13338-001		NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-13336-001		NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7585.40	9330.04

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1467.40	1804.90
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2203.40	2710.18
000-14268-001		Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	124.20	152.77

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12930-002		Point-1 AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds.	1283.40	1578.58
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-11770-002		PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	3031.40	3728.62

Autopilot

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	777.40	956.20
000-13703-001		Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	225.40	277.24
000-11769-001		NAC-1 Autopilot Computer – The brains behind the Outboard Pilot and Drive Pilot systems. It contains the steering computer and electronics for the drive unit motor and clutch.	3353.40	4124.68

Autopilot Accessories

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13249-001		The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	4319.40	5312.86
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	7585.40	9330.04
000-11770-002		PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	3031.40	3728.62
000-15444-002		PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	3307.40	4068.10
000-15445-002		PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	4043.40	4973.38
000-15446-002		PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	5883.40	7236.58
000-15447-002		PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	5883.40	7236.58
000-10756-001		RF25N Rudder Feedback Unit With transmission link and 5 m (16.5 ft) NMEA2000 Micro-C cable and T joiner.	1467.40	1804.90
20193744		RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	1320.20	1623.85
20188074		LF3000 Linear Feedback - For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately.	1835.40	2257.54
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	777.40	956.20
20188082		LFI3000MK2 Linear Feedback Interface box - Required for use on outboard application with LF3000 Linear Feedback.	652.74	802.87
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1467.40	1804.90
000-15944-001		Autopilot fitting adaptor kit. Contains 3 x ORB-5 to ¼" NPT adaptors	230.00	282.90
000-15949-001		ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5, including SteadySteer	2617.40	3219.40
000-15950-001		Autopilot fitting kit for MKII Pumps 2, 3, 4 &5 for use with Verado systems. Includes SteadySteer	3772.00	4639.56
000-15943-001		Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 &5	2525.40	3106.24

Autopilot

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15734-001		SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	2111.40	2597.02
000-11771-001		The HELM-1 is a complete autopilot drive unit for cable-steered vessels, and replaces your existing manual helm drive behind the dash. Designed for easy installation and retrofit, the HELM-1 features an integrated rudder feedback sensor and is plug-and-play compatible with NAC-1 and NAC-2 autopilot computers.	5561.40	6840.52
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2203.40	2710.18
000-13703-001		Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	225.40	277.24
000-11769-001		NAC-1 Autopilot Computer – The brains behind the Outboard Pilot and Drive Pilot systems. It contains the steering computer and electronics for the drive unit motor and clutch.	3353.40	4124.68

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	777.40	956.20
000-14439-001		NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1467.40	1804.90
000-15944-001		Autopilot fitting adaptor kit. Contains 3 x ORB-5 to ¼" NPT adaptors	230.00	282.90
000-15949-001		ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5, including SteadySteer	2617.40	3219.40
000-15950-001		Autopilot fitting kit for MKII Pumps 2, 3, 4 &5 for use with Verado systems. Includes SteadySteer	3772.00	4639.56
000-15943-001		Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 &5	2525.40	3106.24
000-12316-001		WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2203.40	2710.18
000-14268-001		Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	124.20	152.77

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12359-001		WR10 BT-1 Base Station Only	1237.40	1522.00
000-12358-001		WR10 Wireless Remote for Autopilot.	961.40	1182.52

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15858-001		PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-2,3,4 & 5. 2Pcs. Note: Not for Pump-1	299.00	367.77
000-15734-001		SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	2111.40	2597.02
000-14464-001		NAC-1 & NAC-2 Power Cable - 2m	174.80	215.00
000-14798-001		NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	174.80	215.00
000-14463-001		NAC-2 Spare Drive Cable - 2m (6.5 ft)	174.80	215.00

Fixed VHF

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-15651-001		SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	437.00	537.51

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
AA000355		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	409.40	503.56
AA000358		Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	225.40	277.24
AA000223		Heavy-Duty Nylon VHF Antenna mount. Quick-Fit with 5m (16ft) cable	248.40	305.53
AA000224		Stainless Steel VHF Antenna mount. Quick-Fit with 5m (16ft) cable	547.40	673.30
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	547.40	673.30
AA000352		Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	345.00	424.35
AA000400		VHF extension cable 5 m (16 ft)	133.40	164.08
000-15859-001		VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	391.00	480.93
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	253.00	311.19
000-14923-001		5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	202.40	248.95
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	404.80	497.90
000-13613-001		GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	685.40	843.04

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14065-001		Bracket mount knobs for Link-6 VHF radio (White)	71.02	87.36
000-14063-001		VHF,MIC CLIP FOR LINK-6W	37.86	46.56
000-14061-001		Mounting Bracket for Link 6 VHF (White)	142.09	174.77
000-14058-001		VHF,FLUSH MOUNT KIT,LINK-6W	52.07	64.05
000-14057-001	Missing Image	LINK-6 Flush Mount Kit	55.15	67.84
000-14060-001		LINK-6 Mounting Bracket	151.80	186.71
000-14064-001		LINK-6 Mounting Bracket Knobs	73.60	90.53
000-14062-001		LINK-6 Mic Clip	41.40	50.92
000-14054-001		LINK-6 Suncover	101.15	124.42

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14911-001		LINK-9 VHF Suncover	101.15	124.42
000-14920-001		Lowrance Link-9 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in seperate locations.	354.15	435.61
000-14918-001		LINK-9 Fist Mic mounting clip	41.35	50.87
000-14916-001		Link-9 VHF Mounting bracket with Knobs and Screws	128.75	158.37
000-14914-001		Link-9 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	55.15	67.84
000-14060-001		LINK-6 Mounting Bracket	151.80	186.71
000-14064-001		LINK-6 Mounting Bracket Knobs	73.60	90.53
000-14062-001		LINK-6 Mic Clip	41.40	50.92
000-10002-001	Missing Image	Sun Cover for Link-8	139.20	171.22

AIS Class B

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13609-001		NAIS-500 class B AIS with GPS-500 GPS antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	3813.40	4690.48
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-13612-001		NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1237.40	1522.00

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13612-001		NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1237.40	1522.00
AA000355		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	409.40	503.56
AA000358		Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	225.40	277.24
AA000223		Heavy-Duty Nylon VHF Antenna mount. Quick-Fit with 5m (16ft) cable	248.40	305.53
AA000224		Stainless Steel VHF Antenna mount. Quick-Fit with 5m (16ft) cable	547.40	673.30
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	547.40	673.30
AA000352		Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	345.00	424.35
AA000400		VHF extension cable 5 m (16 ft)	133.40	164.08
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	409.40	503.56
000-15859-001		VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	391.00	480.93
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	404.80	497.90

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13611-001		NAIS-500 class B AIS module only. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	3629.40	4464.16
000-13959-001		NAIS500/400 & Naviop OP-BOX Power & Serial Cable	271.40	333.82

NMEA2000

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0124-69		NMEA 2000® starter kit - Backbone required to install one or more NMEA 2000® devices includes Network power cable, 0.6 m (2 ft) N2K cable, 4.5 m (15 ft) N2K cable, 2 x T-connectors, 2 x network terminators	414.00	509.22
000-10760-001		NMEA 2000 Micro-C Auto pilot network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, and 2 x network terminators.	414.00	509.22
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	101.20	124.48
000-12612-001		Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	331.20	407.38
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	147.20	181.06
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	230.00	282.90
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	257.60	316.85
000-0119-83		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only	363.40	446.98
000-14376-001		NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gauge cable recommended for network backbone runs	363.40	446.98
000-14377-001		NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 gauge cable recommended for network backbone runs	455.40	560.14
000-14378-001		NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge cable recommended for network backbone runs	593.40	729.88
000-14379-001		NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-gauge cable recommended for network backbone runs resulting in a more robust network. Cables are identified by orange locking collars.	731.40	899.62
000-0127-52		TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators	101.20	124.48
000-0119-75		N2K-PWR-RD - NMEA 2000® power cable. Includes power cable and 1 x T connector	278.36	342.38
000-12259-001		Network power isolator. Separates separately powered sections of the NMEA2000 network while letting data through.	184.00	226.32
000-0127-04		NAC-MRD2MBL - Adapter cable to enable connection of a legacy blue NMEA 2000® device to a red or black Micro-C network	213.26	262.31
000-0127-05		NAC-FRD2FBL - Adapter cable to enable connection of a red or black Micro-C NMEA 2000® device to a legacy blue network.	213.26	262.31

Network

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-45		SimNet to N2K Adapter Kit - Connect a SimNet device with a fixed SimNet cable to a NMEA 2000® network; includes SimNet to N2k male adaptor, Simnet inline Joiner, NMEA2000® T connector.	545.15	670.54
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	174.80	215.00

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	174.80	215.00

Sensors

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11047-002		Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12930-002		Point-1 AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds.	1283.40	1578.58
000-15939-001		NMEA 0183® - NMEA 2000® converter. 1.8 m (6 ft) Micro-C to bare wire cable	841.80	1035.41
000-15940-001		NMEA 2000® Remote MOB Button. An emergency Man-Over-Board (MOB) button, which will trigger alerts across the NMEA2000® network.	768.20	944.89
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-15735-001		DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	1789.40	2200.96
000-11517-001		Fuel Flow Sensor - For gasoline engines. In-line sensor for 3/8" (9.5 mm) Inside Diameter fuel line. Comes with 10ft cable and T-connector.	1099.40	1352.26
000-0120-62		Evinrude engine interface cable 4.5 m (15 ft) and T-connector	547.40	673.30
000-0120-37		Yamaha engine interface cable 4.5 m (15 ft) and T-connector	547.40	673.30
000-11518-001		Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	501.40	616.72
000-11519-001		Speed Though Water Sensor - Transom-mount paddle wheel sensor, ideal for slow trolling speeds where GPS is not as accurate. 3.1m (10ft) cable with Micro-C connector.	547.40	673.30
000-11520-001		Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.	547.40	673.30
000-11521-001		Through-Hull Temperature Sensor - Mount through the hull of the vessel or wall of a tank you want to monitor the temperature inside. Can be configured to output a variety of different temperature types.	500.94	616.16
000-11522-001		Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	547.40	673.30
000-11523-001		Pressure Sensor - Configurable Pressure Sensor for various engine pressures. Max pressure 100PSI.	547.40	673.30

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12612-001		Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	331.20	407.38
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	147.20	181.06
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	230.00	282.90
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	257.60	316.85
000-11522-001		Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	547.40	673.30
000-0127-45		SimNet to N2K Adapter Kit - Connect a SimNet device with a fixed SimNet cable to a NMEA 2000® network; includes SimNet to N2k male adaptor, Simnet inline Joiner, NMEA2000® T connector.	545.15	670.54
000-11148-001	Missing Image	Pole Mount for GS25 / ZG100 / POINT-1	138.00	169.74
000-10568-001	Missing Image	Accessory plug assembly for DST800	133.40	164.08

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10568-001	Missing Image	Accessory plug assembly for DST800	133.40	164.08

Ethernet

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16144-001		Ethernet Cable -Yellow 5-Pin Male-Male - 0.6 m (2 ft)	114.95	141.39
000-10029-001		NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1421.40	1748.32
000-0127-51		Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	174.80	215.00
000-0127-29		Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	257.60	316.85
000-0127-30		Ethernet Cable -Yellow 5-Pin Male-Male - 7.6 m (25 ft)	363.40	446.98
000-0127-37		Ethernet Cable -Yellow 5-Pin Male-Male - 15.2 m (50 ft)	501.40	616.72
000-0127-56		Adapter cable: Ethernet yellow 5 pin male to RJ45 female, 2m (6.5ft)	193.20	237.64

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16295-001		Transducer, Network cable pulling tools	114.95	141.39
000-0127-51		Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	174.80	215.00
000-0127-29		Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	257.60	316.85
000-0127-30		Ethernet Cable -Yellow 5-Pin Male-Male - 7.6 m (25 ft)	363.40	446.98
000-0127-37		Ethernet Cable -Yellow 5-Pin Male-Male - 15.2 m (50 ft)	501.40	616.72

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00128-001		4-pin Power Cable for modules and MFDs.	184.00	226.32
000-11447-001		Spare WIFI-1 Power Cable.	142.14	174.83

Cameras

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15876-001		The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	2571.40	3162.82

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	193.20	237.64

REVEAL COASTAL™

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-Y209-MS		REVEAL: M-AF-Y209-MS South & East Africa	915.40	1125.94
M-AF-Y210-MS		REVEAL: M-AF-Y210-MS West Africa	915.40	1125.94
M-EM-Y076-MS		REVEAL: M-EM-Y076-MS South-West European Coasts	915.40	1125.94
M-EM-Y111-MS		REVEAL: M-EM-Y111-MS East Mediterranean, Caspian Seas	915.40	1125.94
M-EN-Y070-MS		REVEAL: M-EN-Y070-MS Central Europe Inland	915.40	1125.94
M-EN-Y299-MS		C-MAP REVEAL - M-EN-Y299-MS - Baltic Sea	915.40	1125.94
M-EN-Y300-MS		C-MAP REVEAL - M-EN-Y300-MS - North Sea & Denmark	915.40	1125.94
M-EN-Y326-MS		C-MAP REVEAL - M-EN-Y326-MS - Finland Lakes	915.40	1125.94
M-EN-Y580-MS		C-MAP REVEAL - M-EN-Y580-MS - Scandinavia Inland	915.40	1125.94
M-EW-Y065-MS		REVEAL: M-EW-Y065-MS France Coastal & Inland	915.40	1125.94
M-EW-Y226-MS		REVEAL: M-EW-Y226-MS United Kingdom	915.40	1125.94
M-EW-Y227-MS		REVEAL: M-EW-Y227-MS North-West European Coasts	915.40	1125.94
M-EW-Y228-MS		REVEAL: M-EW-Y228-MS West European Coasts	915.40	1125.94
M-ME-Y204-MS		REVEAL: M-ME-Y204-MS Red Sea to The Gulf & Seychelles Islands	915.40	1125.94
M-RS-Y013-MS		REVEAL: M-RS-Y013-MS Kamchatka Peninsula & Kuril Islands	915.40	1125.94
M-RS-Y202-MS		REVEAL: M-RS-Y202-MS Russian Federation – North West	915.40	1125.94
M-RS-Y203-MS		REVEAL: M-RS-Y203-MS Russian Federation – North Central	915.40	1125.94

Maps

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-RS-Y204-MS		REVEAL: M-RS-Y204-MS Russian Federation – North East	915.40	1125.94
M-RS-Y207-MS		REVEAL: M-RS-Y207-MS Hokkaido and Sakhalin Islands	915.40	1125.94

C-MAP Discover

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-Y200-MS		DISCOVER: M-AF-Y200-MS Cameroon to South Africa	593.40	729.88
M-AF-Y201-MS		DISCOVER: M-AF-Y201-MS South Africa to Mozambique	593.40	729.88
M-AF-Y220-MS		DISCOVER: M-AF-Y220-MS Pemba to Mogadishu	593.40	729.88
M-EM-Y040-MS		DISCOVER: M-EM-Y040-MS Italian Lakes & Po River	593.40	729.88
M-EM-Y200-MS		DISCOVER: M-EM-Y200-MS West Mediterranean	593.40	729.88
M-EM-Y201-MS	Missing Image	DISCOVER: M-EM-Y201-MS Central Mediterranean	593.40	729.88
M-AF-Y214-MS		DISCOVER: M-AF-Y214-MS Cape Verde & Guinea Bissau	593.40	729.88
M-EM-Y202-MS		DISCOVER: M-EM-Y202-MS Mediterranean South Central	593.40	729.88
M-EM-Y203-MS		DISCOVER: M-EM-Y203-MS Adriatic & Ionian Seas	593.40	729.88
M-EM-Y204-MS		DISCOVER: M-EM-Y204-MS Aegean Sea & Sea of Marmara	593.40	729.88
M-EM-Y205-MS		DISCOVER: M-EM-Y205-MS Black Sea & Sea of Azov	593.40	729.88
M-EM-Y206-MS		DISCOVER: M-EM-Y206-MS Mediterranean South East	593.40	729.88
M-EN-Y200-MS		C-MAP DISCOVER: M-EN-Y200-MS Bodø - Kirkenes	593.40	729.88
M-EN-Y201-MS		DISCOVER: M-EN-Y201-MS Kristiansund - Finnsnes	593.40	729.88
M-EN-Y202-MS		DISCOVER: M-EN-Y202-MS Bergen to Brandsfjorden	593.40	729.88
M-EN-Y203-MS		DISCOVER: M-EN-Y203-MS Farsund to Måløy	593.40	729.88
M-EN-Y204-MS		DISCOVER: M-EN-Y204-MS Fiskebäckskil to Lyndgal	593.40	729.88

Maps

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EN-Y205-MS		DISCOVER: M-EN-Y205-MS Karlskrona to Emden	593.40	729.88
M-EN-Y206-MS		DISCOVER: M-EN-Y206-MS Torekov to Larvik	593.40	729.88
M-EN-Y207-MS		DISCOVER: M-EN-Y207-MS Malmö to Valdermarsvik	593.40	729.88
M-EN-Y208-MS		DISCOVER: M-EN-Y208-MS Västervik to Valdermarsvik	593.40	729.88
M-EN-Y209-MS		DISCOVER: M-EN-Y209-MS Gulf of Bothnia	593.40	729.88
M-EN-Y210-MS		DISCOVER: M-EN-Y210-MS Scandinavia Inland Waters	593.40	729.88
M-EN-Y211-MS		DISCOVER: M-EN-Y211-MS Finland Lakes	593.40	729.88
M-EN-Y212-MS		DISCOVER: M-EN-Y212-MS Gulf of Finland & Åland Islands Archipelago	593.40	729.88
M-EN-Y213-MS		DISCOVER: M-EN-Y213-MS Latvia, Lithuania & Russia	593.40	729.88
M-EN-Y214-MS		DISCOVER: M-EN-Y214-MS Polish Coast & Inland	593.40	729.88
M-EN-Y215-MS		DISCOVER: M-EN-Y215-MS Germany & Netherland Inland	593.40	729.88
M-EN-Y216-MS		DISCOVER: M-EN-Y216-MS Benelux Inland & Coastal	593.40	729.88
M-EN-Y217-MS		DISCOVER: M-EN-Y217-MS Central Europe Inland	593.40	729.88
M-EN-Y218-MS		DISCOVER: M-EN-Y218-MS Iceland, Faroe, Shetland & Orkney Islands	593.40	729.88
M-EN-Y630-MS		DISCOVER: M-EN-Y630-MS Pechenga to Lumbovskiy Gulf	593.40	729.88
M-EW-Y206-MS		DISCOVER: M-EW-Y206-MS French Inland Waters	593.40	729.88
M-EW-Y207-MS		DISCOVER: M-EW-Y207-MS Bay of Biscay	593.40	729.88
M-EW-Y208-MS		DISCOVER: M-EW-Y208-MS Portugal & Galicia	593.40	729.88



Maps

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EW-Y209-MS		DISCOVER: M-EW-Y209-MS Canary Island to Gibraltar	593.40	729.88
M-ME-Y200-MS		DISCOVER: M-ME-Y200-MS Red Sea	593.40	729.88
M-ME-Y201-MS		DISCOVER: M-ME-Y201-MS Persian Gulf to Oman	593.40	729.88
M-RS-Y009-MS		DISCOVER: M-RS-Y009-MS Kyongsong Man to Plastun	593.40	729.88
M-RS-Y221-MS		DISCOVER: M-RS-Y221-MS White Sea	593.40	729.88
M-EW-Y060-MS		DISCOVER: M-EW-Y060-MS Central & West Europe	851.00	1046.73
M-RS-Y240-MS		DISCOVER: M-RS-Y240-MS Tauyskaya Bay	381.80	469.61
M-AF-Y003-MS		DISCOVER: M-AF-Y003-MS Antarctica	851.00	1046.73
M-AF-Y050-MS		DISCOVER: M-AF-Y050-MS Africa & Arabian Sea	851.00	1046.73
M-EM-Y045-MS		DISCOVER: M-EM-Y045-MS Southern Europe	851.00	1046.73
M-EN-Y040-MS		DISCOVER: M-EN-Y040-MS Greenland	851.00	1046.73
M-EN-Y050-MS		DISCOVER: M-EN-Y050-MS Northern & Central Europe	851.00	1046.73
M-EN-Y055-MS		DISCOVER: M-EN-Y055-MS Baltic Sea	851.00	1046.73
M-EW-Y200-MS		DISCOVER: M-EW-Y200-MS United Kingdom & Ireland	693.98	853.59

Naviop Kits

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14666-001		Naviop LOOP S Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 8 fused relay controlled channels + 8 fused channels.	5012.80	6165.75
000-14665-001		Naviop LOOP S+ Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 16 fused relay controlled channels + 16 fused channels.	8661.06	10653.11
000-14664-001		Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 8 fused relay controlled channels + 8 fused channels.	7760.84	9545.84
000-14663-001		Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 16 fused relay controlled channels + 16 fused channels.	12309.32	15140.47

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
31M-316-0		Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
31M-335-0		Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
31M-336-0		Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	4002.00	4922.46
31M-337-0		Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
000-14844-001		Naviop EGON+ 12VDC Replacement Relay	113.62	139.75
C-EGON-01		Naviop EGON Power and CAN Cable - CAN ID 2	358.80	441.32
C-EGON-02		Naviop EGON Power and CAN Cable - CAN ID 2	358.80	441.32
C-EGON-03		Naviop EGON Power and CAN Cable - CAN ID 3	358.80	441.32
C-EGON-04		Naviop EGON Power and CAN Cable - CAN ID 4	358.80	441.32
000-14901-001		Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	225.40	277.24
000-15212-001		Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	4733.40	5822.08

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
BERMINI-USAA-1M		Naviop OP-BOX USB Cable	296.01	364.09
C-28576	Missing Image	Naviop CAN Drop Cable NA30	271.40	333.82
C-28574		Naviop CAN Drop Cable for NOVA+ - 1.2m	257.60	316.85
C-34686		Axial DB9 Male Cable for RS323/485 - 2m	140.30	172.57
C-DAU-CABLE		Naviop Wiring Harness for DAU Units - 2m	483.00	594.09
DAU-B-128		Naviop DAU Bridge - CAN ID 128	4830.00	5940.90
DAU-E-136		Naviop DAU Easy - CAN ID 136	4830.00	5940.90
DAU-E-137		Naviop DAU Easy - CAN ID 137	4830.00	5940.90
NA05-0003		Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4278.00	5261.94
NA05-0003-H		Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4370.00	5375.10

Naviop Parts

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15756-001		Naviop OP-BOX Programmable 1GHz	5865.00	7213.95
000-15897-001		OP-BOX 1Ghz, Programmable, with Power cable	4549.40	5595.76
000-14991-001		Naviop AT30 Protocol Converter - N2K To Naviop CAN Gateway for bridging the vessels NMEA2000 network to the Naviop Digital Switching system.	1283.40	1578.58
31M-316-0		Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
31M-335-0		Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
31M-336-0		Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	4002.00	4922.46
31M-337-0		Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
000-14844-001		Naviop EGON+ 12VDC Replacement Relay	113.62	139.75
C-EGON-01		Naviop EGON Power and CAN Cable - CAN ID 2	358.80	441.32
C-EGON-02		Naviop EGON Power and CAN Cable - CAN ID 2	358.80	441.32
C-EGON-03		Naviop EGON Power and CAN Cable - CAN ID 3	358.80	441.32
C-EGON-04		Naviop EGON Power and CAN Cable - CAN ID 4	358.80	441.32
000-14901-001		Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	225.40	277.24
000-15212-001		Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	4733.40	5822.08
BERMINI-USAA-1M		Naviop OP-BOX USB Cable	296.01	364.09
C-28576	Missing Image	Naviop CAN Drop Cable NA30	271.40	333.82

Power Systems

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
C-28574		Naviop CAN Drop Cable for NOVA+ - 1.2m	257.60	316.85
C-34686		Axial DB9 Male Cable for RS323/485 - 2m	140.30	172.57
C-DAU-CABLE		Naviop Wiring Harness for DAU Units - 2m	483.00	594.09
DAU-B-128		Naviop DAU Bridge - CAN ID 128	4830.00	5940.90
DAU-E-136		Naviop DAU Easy - CAN ID 136	4830.00	5940.90
DAU-E-137		Naviop DAU Easy - CAN ID 137	4830.00	5940.90
NA05-0003		Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4278.00	5261.94
NA05-0003-H		Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4370.00	5375.10
000-13959-001		NAIS500/400 & Naviop OP-BOX Power & Serial Cable	271.40	333.82

Service Parts

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14256-001		Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	501.35	616.67
000-14260-001		TotalScan™ Through-Hull Transducer Fairing Block Only	501.40	616.72
000-14503-001		LINKPRO SERVICE TOOL	1007.40	1239.10
151-10333-001		SERVICE SONARHUB	1591.60	1957.67

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0106-72		HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector . Cable Length 6 m (20 ft)	354.15	435.61
000-0106-77		HST-DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector. Cable Length 6 m (20 ft)	712.95	876.93
000-0106-94		PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable.	455.35	560.09
000-0099-95		TS-1BL Temperature sensor (non-networked) Cable Length 6 m (20 ft).	391.00	480.93
000-10046-001		7pin adapter cable to bare wires. To connect a bare-wire transducer to a display with 7pin sonar port.	133.40	164.08
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	225.35	277.19
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	666.95	820.35
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	225.35	277.19
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	1310.95	1612.47
000-0051-45		TMB-S Trolling-motor mount bracket for standard Skimmer® transducer	91.95	113.10
000-0099-44		AC-CAF - AC power adapter to female cigarette lighter socket for power from 120V wall socket	213.54	262.66
000-0119-10		CA-8 - Cigarette plug power cable for all 5" and above Lowrance products except X-96	298.95	367.71
000-10027-001		Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	130.36	160.34

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10909-001		RAM QUICK RELEASE BRACKET 1" BALL: Mark 4 & 5 Elite 3, 4 & 5 Elite Ti 5 & 7 Go5	182.41	224.37
000-10910-001		RAM QUICK RELEASE BRACKET 1.5" BALL: Mark 4 & 5 Elite 3, 4 & 5 Elite Ti 5 & 7 Go5	260.59	320.53
000-10978-001		HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)	119.55	147.05
000-11307-001		SUNCOVER: 4" MARK/ELITE/HOOK	110.35	135.74
000-11308-001		FLUSH MOUNT KIT: 4" MARK/ELITE/HOOK	86.99	107.00

Displays

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12742-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	317.40	390.40
000-12741-001		HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	529.00	650.67
000-16444-001		Protective suncover for Elite FS 12	147.20	181.06
000-16443-001		Protective suncover for Elite FS 10	147.20	181.06
000-16446-001		Elite™ FS 12 Flushmount kit	94.71	116.50
000-16445-001		Elite™ FS 10 Flushmount kit	94.71	116.50
000-0124-70		CAP-1 - Set of connector caps for HDS series	101.15	124.42

Sonar

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15470-001		B744VC ACTIVE INSERT - REPLACEMENT	1421.40	1748.32
000-11040-001	Missing Image	Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	500.94	616.16
000-14963-001	Missing Image	Replacement Ice Mount for LiveSight Transducer	1471.95	1810.50
000-0127-54		Power cable for BSM-1, LSS-2 2 m (6.5 ft)	220.80	271.58

Radar

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10795-001		SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	2755.40	3389.14
000-10904-001	Missing Image	CABLE,BB RADAR,EXT EXTENSION,2M	303.60	373.43
000-10905-001	Missing Image	CABLE,BB RADAR,EXTERNAL,5M	354.20	435.67
000-14551-001		Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	299.00	367.77
000-14552-001		Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	193.20	237.64
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	547.40	673.30
000-14549-001		Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	823.40	1012.78
000-14550-001		Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	1099.40	1352.26
000-14547-001		Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	354.20	435.67

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16295-001		Transducer, Network cable pulling tools	114.95	141.39

VHF AIS

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11727-001		RS90/V90 20m (65 ft) Handset cable. Includes phoenix connector and bulkhead mount	411.73	506.43
AA000355		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	409.40	503.56
AA000358		Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	225.40	277.24
AA000223		Heavy-Duty Nylon VHF Antenna mount. Quick-Fit with 5m (16ft) cable	248.40	305.53
AA000224		Stainless Steel VHF Antenna mount. Quick-Fit with 5m (16ft) cable	547.40	673.30
AA000352		Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	345.00	424.35
AA000400		VHF extension cable 5 m (16 ft)	133.40	164.08
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	409.40	503.56
000-10378-001		VKIT-9 Flush Mount Kit for RS10, RS12 and RS25	48.67	59.86
000-11564-001		BC-10 VHF Charger w/ US Power Adapter for HH36 and LINK-2 VHF.	260.59	320.53
000-11562-001		BC-10 VHF Charger w/ 12V CIG Plug for HH36 and LINK-2 VHF.	182.41	224.37
000-15859-001		VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	391.00	480.93
000-14263-001		RS20/V20 Mounting Bracket Knobs	73.60	90.53
000-13716-001		Bracket Kit - Water Level or Antenna Mount	28.43	34.97
000-14066-001		VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60	404.80	497.90

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
AA000223		Heavy-Duty Nylon VHF Antenna mount. Quick-Fit with 5m (16ft) cable	248.40	305.53
AA000224		Stainless Steel VHF Antenna mount. Quick-Fit with 5m (16ft) cable	547.40	673.30
000-16055-001		VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	547.40	673.30
AA000400		VHF extension cable 5 m (16 ft)	133.40	164.08
AA000401		VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	409.40	503.56

Autopilot

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12359-001		WR10 BT-1 Base Station Only	1237.40	1522.00
000-12358-001		WR10 Wireless Remote for Autopilot.	961.40	1182.52